

Copyright (c) 1993 - 2004 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: April 5, 2004, 06:20:10 ; Search time 3182 Seconds  
 (without alignments)  
 131.386 Million cell updates/sec

Title: US-09-530-935-1

Perfect score: 14

Sequence: 1 ttggnnnnnnncg 14

Scoring table: IDENTITY NUC Gapox 10.0 , Gapext 1.0

Searched: 27513289 seqs, 1493109276 residues

Total number of hits satisfying chosen parameters: 55026578

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%  
 Maximum Match 100%

Listing first 45 summaries

Database : EST:  
 1: em\_estba:  
 2: em\_estbum:  
 3: em\_estin:  
 4: em\_estmu:  
 5: em\_estov:  
 6: em\_estpi:  
 7: em\_estro:  
 8: em\_htc:  
 9: gb\_est1:  
 10: gb\_est2:  
 11: gb\_htc:  
 12: gb\_est3:  
 13: gb\_est4:  
 14: gb\_est5:  
 15: em\_estfun:  
 16: em\_eston:  
 17: em\_gss\_hum:  
 18: em\_gss\_inv:  
 19: em\_gss\_Pln:  
 20: em\_gss\_vrt:  
 21: em\_gss\_fun:  
 22: em\_gss\_mam:  
 23: em\_gss\_mus:  
 24: em\_gss\_pro:  
 25: em\_gss\_rdt:  
 26: em\_gss\_phg:  
 27: em\_gss\_vrl:  
 28: gb\_gss1:  
 29: gb\_gss2:

## ALIGNMENTS

RESULT	1	D11808/c	D11808	17 bp	mRNA linear	EST 02-DEC-1992
LOCUS			HUMAN01H11	Liver HepG2 cell line.	Homo sapiens cDNA clone mm01h11,	
DEFINITION					mRNA sequence.	
ACCESSION		D11808.1	GI:2155083			
VERSION			EST			
KEYWORDS						
SOURCE			Homo sapiens			
ORGANISM			Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
REFERENCE			Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.			
AUTHORS			Okubo,K., Hori,N., Matoba,R., Niizuma,T., Fukushima,A., Kojima,Y. and Matsubara,K.			
TITLE			Large scale cDNA sequencing for analysis of quantitative and qualitative aspects of gene expression			
JOURNAL			Nat. Genet. 2, 173-179 (1992)			
MEDLINE			94258199			
PUBMED			1345154			
COMMENT			Contact: Kousaku Okubo, Naohiro Hori, Ryo Matoba, Toshiyuki Niizuma, Atsushi Fukushima, Yuko Kojima & Kenichi Matsubara Institute for Molecular and Cellular Biology			
			Osaka University			
			1-3 Yamada-oka, Suita, Osaka 565, Japan.			
FEATURES			Location/Qualifiers			
source			1 . 17			

Result No.	Score	Query Match Length	DB ID	Description	%	SUMMARIES
c 1	6	42.9	17	14	D11808	
c 2	6	42.9	19	28	AZ769922	
c 3	6	42.9	20	28	AZ433830	
c 4	6	42.9	20	28	AZ628809	1M0481c17

/organism="Homo sapiens"  
 /mol\_type="mRNA"  
 /db\_xref="IGDB:10S8354E!"  
 /db\_xref="txon:9606!"  
 /clone="hmo1h1!"  
 /lab\_host="E.coli"  
 /clone\_lib="Liver HepG2 cell line."  
 /note="3'-directed regional cDNA library. Cleaved by MboI and transformed into E.coli."

## ORIGIN

	Query Match	Similarity	Score	DB	Length
Qy	1 TTTGNNNNNNNNCG 14	42.9%	6;	1.4e+05;	17;
Db	17 TTGAGGTGATCG 4	42.9%	0;	Mismatches	8;
			0;	Indels	0;
			0;	Gaps	0;

## RESULT 2

AZ769992 19 bp DNA linear GSS 16-FEB-2001  
 LOCUS 1M0571P12F Mouse 10kb plasmid UGGC1M library Mus musculus genomic  
 DEFINITION Clone UGGC1M0571P12 F, genomic survey sequence.

## ACCESSION

## VERSION

## KEYWORDS

## SOURCE

## ORGANISM

## REFERENCE

## AUTHORS

## TITLE

## JOURNAL

## COMMENT

## FEATURES

## source

Query Match Score 6; DB 14; Length 17;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+05;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

Query Match Score 6; DB 28; Length 19;  
 Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
 Matches 6; Conservative 0; Mismatches 8;  
 Indels 0; Gaps 0;

10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi|43214|gb|AF12072.1), a copy-number inducible derivative of plasmid RI. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adapter-modified DNA was annealed to adaptor-modified vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance.

## ORIGIN

	Query Match	Similarity	Score	DB	Length
Qy	1 TTTGNNNNNNNNCG 14	42.9%	6;	1.4e+05;	17;
Db	17 TTGAGGTGATCG 4	42.9%	0;	Mismatches	8;
			0;	Indels	0;
			0;	Gaps	0;

## RESULT 3

AZ433830/C LOCUS 1M21912R Mouse 10kb plasmid UGGC1M library Mus musculus genomic  
 DEFINITION clone UGGC1M021912 R, genomic survey sequence.

VERSION AZ433830.1 GI:10557843

KEYWORDS GSS

SOURCE Mus musculus (house mouse)

ORGANISM Mus musculus

REFERENCE 1 (bases 1 to 19)

AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C., Islam,H., Longacre,S., Mahmoud,M., Meenin,E., Pedersen,T., Reilly,M., Rose,M., Stokes,R., Tingey,A., von Niederhausern,A. and Wright,D., Weiss,R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts

Unpublished (2000)

JOURNAL Contact: Robert B. Weiss

COMMENT University of Utah Genome Center

University of Utah

Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT

84112, USA Tel: 801 585 5606

Fax: 801 585 7177 Email: ddunn@genetics.utah.edu

Insert Length: 10000 Std Error: 0.00 Plate: 0219 row: I column: 22 Seq primer: CACAGGAAACAGCTATGCC Class: Plasmid ends

High quality sequence stop: 20.

Location/Qualifiers 1..19

/organism="Mus musculus"

/mol\_type="genomic DNA"

/strain="C57BL/6J"

/db\_xref="taxon:10090"

/clone="C57BL/6J"

/sex="Male"

/lab\_host="E. Coli strain XL10-Gold, T1-resistant, F-

/clone\_lib="Mouse 10kb Plasmid UGGC1M library"

/note="Vector: PWD42nv; Purified genomic DNA from M.

musculus C57BL/6J (male) was obtained from the Jackson

Laboratory Mouse DNA Resource

(http://wwwjax.org/resources/documents/dnares/). The DNA

was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA

was blunt end-repaired with T4 DNA polymerase and T4

polynucleotide kinase. Adaptor Oligonucleotides were

ligated to the blunt ends in high molar excess. The

adapted DNA was purified and size-selected for a 9.5 to

adapted DNA was purified and size-selected for a 9.5 to

10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pMD42 (gi|4732114 9b|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptor complementary to the insert adaptors and purified. The sheared, adaptored mouse DNA was annealed to adaptored vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance.<sup>11</sup>

## ORIGIN

Query Match	42.9%	Score 6;	DB 28;	Length 20;
Best Local Similarity	42.9%	Pred. No. 1.4e+06;		
Matches	6;	Conservative 0;	Mismatches 8;	Indels 0;
Gaps	0;			

Qy 1 TTGTGNNNNNNNNNG 14  
Db 17 TTGTGATTTCTG 4

## RESULT 4

AZ628809/c LOCUS 1M0181C17F Mouse 10kb plasmid UGGC1M library Mus musculus genomic clone UGGC1M0181C17 F, genomic survey sequence.

## DEFINITION

## ACCESSION AZ794014

## VERSION 1

## KEYWORDS GSS.

## ORGANISM Mus musculus (house mouse)

## REFERENCE Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C., Islam,H., Longacre,S., Mahmoud,M., Meenin,E., Pedersen,T., Reilly,M., Rose,M., Rose,R., Stoles,R., Tingey,A., von Niederhausern,A. and Wright,D., Weiss,R.

## AUTHORS

## TITLE

Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts  
Unpublished (2000)  
Contact: Robert B. Weiss  
University of Utah Genome Center  
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA  
Tel.: 801 585 5606  
Fax: 801 585 7177  
Email: ddunn@genetics.utah.edu  
Insert Length: 10000 Std Error: 0.00  
Plate: 0481 row: C column: 17  
Seq primer: CGTCGAGAACCGGCCACT  
Class: plasmid ends  
High quality sequence stop: 20.

## JOURNAL

## COMMENT

ORIGIN

Query Match 42.9%; Score 6; DB 28; Length 20;  
Best Local Similarity 42.9%; Pred. No. 1.4e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0;  
Gaps 0;

## FEATURES

## Source

## Location/Qualifiers

## 1..20

```
/organism="Mus musculus"
/mol_type="genomic DNA"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UGGC1M0481C17"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, Ti-resistant, F-"
/clone.lib="Mouse 10kb Plasmid UGGC1M library"
/clone.ref="taxon:10090"
/clone="UGGC1M0481C17"
/sex="Male"
```

## source

## Location/Qualifiers

## 1..22

```
/organism="Mus musculus"
/mol_type="genomic DNA"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UGGC1M0481C17"
/sex="Male"
```

## source

## Location/Qualifiers

## 1..20

/organism="Mus musculus"
/mol\_type="genomic DNA"
/strain="C57BL/6J"
/db\_xref="taxon:10090"
/clone="UGGC1M0481C17"
/sex="Male"
/lab\_host="E. Coli strain XL10-Gold, Ti-resistant, F-"
/clone.lib="Mouse 10kb Plasmid UGGC1M library"
/clone.ref="taxon:10090"
/clone="UGGC1M0481C17"
/sex="Male"
/lab\_host="E. Coli strain XL10-Gold, Ti-resistant, F-"
/clone.lib="Mouse 10kb Plasmid UGGC1M library"
/clone.ref="taxon:10090"
/clone="UGGC1M0481C17"
/sex="Male"
/mol\_type="genomic DNA"
/strain="C57BL/6J" (male) was obtained from the Jackson Laboratory Mouse DNA Resource (<http://www.jax.org/resources/documents/dnare/>). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA Polymerase and T4 Polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptored DNA was purified and size-selected for a 9.5 to

10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pMD2 (gi|4732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptored mouse DNA was annealed to adaptored vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

## ORIGIN

Query Match	42.9%	Score	6	DB	28;	Length	22;
Best Local Similarity	42.9%	Pred. No.	1.4e+06;				
Matches	6;	Conservative	0;	Mismatches	8;	Indels	0;
Gaps	0;						

QY	1	TITGGNNNNNNNNCG	14				
Db	15	TITGCCAGTCACG	2				

## RESULT 6

AZ978258	AZ978258	22 bp	DNA	linear	GSS 27-APR-2001
LOCUS	2M0254622F	Mouse 10kb plasmid TUGC2M library	Mus musculus	genomic	
DEFINITION	clone TUGC2M0254O22 F,	genomic survey sequence.			

ACCESSION	AZ978258				
VERSION	AZ978258.1	GI:	13849485		

KEYWORDS	GSS.				
SOURCE	Mus musculus (house mouse)				

ORGANISM	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Muridae; Murinae; Mus.				
REFERENCE	1 (bases 1 to 22)				

AUTHORS	Dunn, D., Aoyagi, A., Barber, M., Beacorn, T., Duval, B., Hamil, C., Islam, H., Longacre, S., Mahmoud, M., Meenem, E., Pedersen, T., Reilly, M., Rose, M., Rose, R., Stokes, R., Tingey, A., von Niederhausern, A. and Wright, D.				
TITLE	Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts				
JOURNAL	Unpublished (2000)				
COMMENT	Contact: Robert B. Weiss University of Utah Genome Center University of Utah Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA				

TELEPHONE	801 585 5606				
FAX	801 585 7177				
EMAIL	ddunn@genetics.utah.edu				
Insert Length	10000	Std Error:	0.00		
Plate	0254	row: O	column: 22		
Seq primer	CGTGTAAACGACGCCAT				
Class	Plasmid ends				
High quality sequence stop	22.				
Location/Qualifiers	1..22				

FEATURES	source				
----------	--------	--	--	--	--

1.	"organism="Mus musculus"				
	/mol_type="genomic DNA"				
	/strain="C57BL/6J"				
	/db_xref="Taxon:10090"				
	/clone="TUGC2M0254O22"				
	/sex="Female"				
	/lab_host="E. coli strain XL10-Gold, T1-resistant, F-"				
	/clone_lib="Mouse 10kb Plasmid TUGC2M library"				

/note="Vector: pMD2rv; Purified genomic DNA from M. musculus C57BL/6J (female) was obtained from the Jackson Laboratory Mouse DNA Resource ( <a href="http://www.jax.org/resources/documents/dnarecs/">http://www.jax.org/resources/documents/dnarecs/</a> ). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptored DNA was purified and size-selected for a 9.5 to					
---	--	--	--	--	--

1.	"organism="Mus musculus"				
	/mol_type="genomic DNA"				
	/strain="C57BL/6J"				
	/db_xref="Taxon:10090"				
	/clone="TUGC2M0254O22"				
	/sex="Male"				
	/lab_host="E. coli strain XL10-Gold, T1-resistant, F-"				
	/clone_lib="Mouse 10kb Plasmid TUGC2M library"				

/note="Vector: pMD2rv; Purified genomic DNA from M. musculus C57BL/6J (female) was obtained from the Jackson Laboratory Mouse DNA Resource ( <a href="http://www.jax.org/resources/documents/dnarecs/">http://www.jax.org/resources/documents/dnarecs/</a> ). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptored DNA was purified and size-selected for a 9.5 to					
---	--	--	--	--	--

1.	"organism="Mus musculus"				
	/mol_type="genomic DNA"				
	/strain="C57BL/6J"				
	/db_xref="Taxon:10090"				
	/clone="TUGC2M0254O22"				
	/sex="Female"				
	/lab_host="E. coli strain XL10-Gold, T1-resistant, F-"				
	/clone_lib="Mouse 10kb Plasmid TUGC2M library"				

/note="Vector: pMD2rv; Purified genomic DNA from M. musculus C57BL/6J (female) was obtained from the Jackson Laboratory Mouse DNA Resource ( <a href="http://www.jax.org/resources/documents/dnarecs/">http://www.jax.org/resources/documents/dnarecs/</a> ). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptored DNA was purified and size-selected for a 9.5 to					
---	--	--	--	--	--

1.	"organism="Mus musculus"				
	/mol_type="genomic DNA"				
	/strain="C57BL/6J"				
	/db_xref="Taxon:10090"				
	/clone="TUGC2M0254O22"				
	/sex="Male"				
	/lab_host="E. coli strain XL10-Gold, T1-resistant, F-"				
	/clone_lib="Mouse 10kb Plasmid TUGC2M library"				

/note="Vector: pMD2rv; Purified genomic DNA from M. musculus C57BL/6J (female) was obtained from the Jackson Laboratory Mouse DNA Resource ( <a href="http://www.jax.org/resources/documents/dnarecs/">http://www.jax.org/resources/documents/dnarecs/</a> ). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptored DNA was purified and size-selected for a 9.5 to					
---	--	--	--	--	--

1.	"organism="Mus musculus"				
	/mol_type="genomic DNA"				
	/strain="C57BL/6J"				
	/db_xref="Taxon:10090"				
	/clone="TUGC2M0254O22"				
	/sex="Male"				
	/lab_host="E. coli strain XL10-Gold, T1-resistant, F-"				
	/clone_lib="Mouse 10kb Plasmid TUGC2M library"				

/note="Vector: pMD2rv; Purified genomic DNA from M. musculus C57BL/6J (female) was obtained from the Jackson Laboratory Mouse DNA Resource ( <a href="http://www.jax.org/resources/documents/dnarecs/">http://www.jax.org/resources/documents/dnarecs/</a> ). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptored DNA was purified and size-selected for a 9.5 to					
---	--	--	--	--	--

10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (Gi|4732114|gb\_AFI129022.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptored mouse DNA was annealed to adaptored vector DNA, and transfected into chemically-competent *E. coli* XL10-Gold (Stratagene) cells and selected for ampicillin resistance.<sup>11</sup>

14 TTTGGCTAACGGCG 1

**RESULT 9**  
**BH901491/C** BH901491 linear GSS 04-SEP-2002  
**LOCUS** SALK\_079681 23 bp DNA insertion lines  
**DEFINITION** Arabidopsis thaliana genomic clone SALK\_079681.44.20.X, genomic

```

Query Match      42.9%; Score 6; DB 28; Length 23;
Best Local Similarity 42.9%; Pred. No. 1.4e+06;
Matches 6; Conservative 0; Mismatches 8; Indels 0; Caps 0;
1 TTTGNNNNNNNNNGC 14
9 TTGGGGGGGGGGGG 22

```

SUITE 8  
901489/c  
CUCS  
DEFINITION  
BH901489  
SAUK 079679-43-20-X Arabidopsis thaliana  
Arabidopsis thaliana genomic clone SAUK 079679  
23 bp linear  
TDNA insertion lines  
SAUK 079679 43 20 v  
economic

A Sequence-Indexed Library of Insertion Mutations in the  
Arabidopsis Genome  
Unpublished (2001)  
Contact: Joseph R. Ecker  
Salk Institute Genomic Analysis Laboratory (SIGAL)  
The Salk Institute for Biological Studies  
10101 N. Torrey Pines Road, La Jolla, CA 92037, USA  
Tel: 858 453 4100 x1752  
Fax: 858 558 6379  
Email: ecker@salk.edu  
This is single pass sequence recovered from the left border of  
T-DNA. This sequence lies within 300 bases of the 3' end of  
the T-DNA.

ATTRIBUTES	VALUES
Class:	TDNA tagged.
Location/Qualifiers	1. -23
Source	<p>/organism="Arabidopsis thaliana"</p> <p>/mol_type="genomic DNA"</p> <p>/strain="Columbia 0"</p> <p>/db_xref="taxon:3702"</p> <p>/clone="SALK_079679-43_20-X"</p> <p>/clone_lib="Arabidopsis thaliana TDNA insertion lines"</p> <p>/note="PCR was performed on Arabidopsis thaliana lines each of which contains one or more TDNA insertion elements. The resultant fragment for each line was directly sequenced to determine the genomic sequence at the site of insertion. Details of the protocols used can be found in the original paper."</p>

be round at [http://signai.balk.edu/tana\\_protocols.html](http://signai.balk.edu/tana_protocols.html)"

Matches 6; Conservative

RESULT 9  
 BH901491/C LOCUS BH901491\_44.20.x DEFINITION Arabidopsis thaliana genomic clone SALK\_079681\_44.20.X, genomic DNA insertion lines thalaina T-DNA linear GSS 04-SEP-2002

ACCESSION BH901491  
 VERSION BH901491.1  
 GSS. GI:22712372  
 KEYWORDS  
 SOURCE  
 ORGANISM

**Arabidopsis thaliana** (thale cress)  
**Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;**  
**Spermatophyta; Magnoliophyta; eudicotyledons; core eudicots;**  
**Myrtales; Myrtaceae; *Arabidopsis*; *Arabidopsis thaliana***

REFERENCE	1 (bases 1 to 23) : eukaryotes; prokaryotes; viruses; eukaryotes II; protists; plants; animals; microorganisms.
AUTHORS	Alonso, J.M., Leisse, T.J., Barajas, P., Chen, H., Cheuk, R., Gadridin, C., Jeske, A., Karns, M., Kim, C.J., Parker, H., Prednis, L., Shinn, P., Zimmerman, J., and Fcker, J.R.
TITLE	A Sequence-Indexed Library of Insertion Mutations in the Arabidopsis Genome
TOCNAME	TOMTOM

**COMMENT** Contact: Joseph R. Ecker  
Salk Institute Genomic Analysis Laboratory (SIGAL)  
The Salk Institute for Biological Studies  
10010 N Torrey Pines Road, La Jolla, CA 92037, USA  
Tel: 858 453 4100 x1752  
Fax: 858 558 6379  
Email: ecker@salk.edu  
This is single pass sequence recovered from the left border of  
T-DNA. This sequence lies within 300 bases of the 3' end of  
ATcg50450.  
**Class:** TDNA tagged.

**FEATURES**

**LOCATIONS**

```

Source 1. .23
        /organism="Arabidopsis thaliana"
        /mol_type="genomic DNA"
        /strain="Columbia 0"
        /db_xref="taxon:37012"
        /clone_id="SALK_079581..44..20.X"
        /clone_lib="Arabidopsis thaliana TDNA insertion lines"
        /note="T-PCR was performed on Arabidopsis thaliana lines
each of which contains one or more TDNA insertion
elements. The resultant fragment for each line was
directly sequenced to determine the genomic sequence at
the site of insertion. Details of the protocols used can
be found at http://signal.salk.edu/tDNA/protocols.html"
```

ORIGIN	Query Match Best Local Matches	42.9%; 42.9%; 6;	Score 6; DB 28; Pred. No. 1.4e+06; 0; Mismatches 8;	Length 23;	
	Qy	1 TTTGNNNNNNNNNNGC 14			
	Db	14 TTTGGCTAATGGCG 1			
RESULT 10					
LOCUS	AW064435	AW064435	24 bp	mRNA	linear EST 07-DEC-2000
DEFINITION	SP1032 KRIBB Human CD4 intrathymic T-cell cDNA library Homo sapiens				

**ACCESSION** CDNA 3' mRNA sequence.  
**VERSION** AW064435  
**KEYWORDS** AW064435.1 GI:8888372  
**EST.**  
**SOURCE** EST.  
**ORGANISM** Homo sapiens (human)  
*Homo sapiens*  
*Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;*

REFERENCE	1 (bases 1 to 24)	Plate: 15 row: I column: 14
AUTHORS	Goh, S.-H., Park, J.-H., Lee, Y.J., Lee, H.G., Yoo, H.-S., Lee, I.-C., Park, J.-H., Kim, Y.-S. and Lee, C.-C.	seq primer: SP6; CATAGATTAGGTACACTATAG.
TITLE	Gene expression profile and identification of differentially expressed transcripts during human intrathymic T-cell development by cDNA sequencing analysis	FEATURES source 1. 24
JOURNAL	Genomics 70 (1), 1-18 (2000)	/organism="Beta vulgaris"
MEDLINE	10541704	/mol_type="mRNA"
PUBLMED	1187656	/cultivar="KMS2320 (double haploid, monogerm breeding line)"
COMMENT	Contact: Sung-Ho Goh Genome Center Korea Research Institute of Bioscience and Biotechnology Oun-dong 52, Yu-Sang-Gu, Daejon 305-333, Republic of Korea Tel: 82-42-860-4413 Fax: 82-42-860-4419 Email: gohsn@mail.kribb.re.kr Seq primer: T7 High quality sequence stop: 24	/db_xref="GABI:187569" /db_xref="taxon:161934" /clone="024-015-114" /tissue type="storage root" /lab_host="MPIDH10B" /clone_lib="MPIZ-ADIS-024-storage root" /note="vector: PCMVSPORT6; site 1: SalI; site 2: NotI; cDNA library from sugar beet, library provided by KWS Kleinwalslebener Saatzucht AG Einbeck, Germany, contact: b.schulz@kws.de; cloning sites SalI-NotI, primer sites and orientation: SP6-SalI-CCACGGCGCCG-5prime-CDNA-polyA-CC-NotI-T7; Note: sequencing granted in the context of the GABI-beet project, local PI: Dr. Katharina Schneider, coordinator: Prof. Christian Jung; Sequence submission managed by RZPD/GABI-Primary database: http://gabi.rzpd.de"
FEATURES	source 1. 24	
	/organism="Homo sapiens" /mol_type="mRNA" /db_xref="taxon:9606" /tissue_type="Thymus" /cell_type="Intrathymic T-cell" /dev_stage="CD3+4-8 single positive stage" /clone_lib="KRIBB Human CD4 intrathymic T-cell cDNA library" /note="Vector: pGEM-T; cDNA was made from total cytoplasmic RNA of sorted human intrathymic CD3+4-8- T-cell, adaptor ligated, amplified with PCR, and cloned into pGEM-T vector."	
ORIGIN	Query Match Score 6; DB 13; Length 24; Best Local Similarity 42.9%; Pred. No. 1.4e+06; Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;	Query Match Score 6; DB 13; Length 24; Best Local Similarity 42.9%; Pred. No. 1.4e+06; Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;
	Qy 1 TTGNNNNNNNNNCG 14 Db 11 TTGGCGGTGGCTCG 24	Qy 1 TTGNNNNNNNNNCG 14 Db 20 TTGGATTTTTCGC 7
RESULT 12		RESULT 12
LOCUS	TA306B12P/C	LOCUS TA306B12P
DEFINITION		DEFINITION T. brucei sheared genomic DNA clone 306b12, forward sequence,
VERSION		AL491238
KEYWORDS		GI:11865450 GSS.
SOURCE		Trypanosoma brucei Eukaryota; Buglanozoa; Kinetoplastida; Trypanosomatidae; Trypanosoma.
ORGANISM		REFERENCE AUTHORS Hall,N., Bowman,S., Lennard,N.J., Doggett,J., Atkin,R., Chillingworth,C., Ormond,D., Harris,B., El-Sayed,N., Hou,L., Mellville,S.E., Rajanaream,M.A. and Barrell,B.G. TITLE JOURNAL COMMENT CONSTRUCTED AT THE INSTITUTE FOR GENOMIC RESEARCH (TIGR), ROCKVILLE, MD. GENOMIC DNA ISOLATED FROM A CLONED POPULATION OF TRYPANOSOMA BRUCEI (TREU927/4 GUTAT 10.1) WAS MECHANICALLY SHEARED TO GIVE A TIGHT SIZE DISTRIBUTION (4 KB). THE V + 1 METHOD USED FOR THE LIBRARY CONSTRUCTION IS DESCRIBED IN DETAIL IN SMITH, H. AND VENTER, J.C. (MAKING SMALL INSERT LIBRARIES FOR WHOLE GENOME SHOTGUN SEQUENCING PROJECTS. IN GENOME SEQUENCING: A PRACTICAL APPROACH, EDS. M. VAUDIN AND B. BARRELL, OXFORD UNIVERSITY PRESS, 1999). EMAIL: nelsayed@tigr.org DETAILS OF T. BRUCEI SEQUENCING AT THE SANGER CENTRE ARE AVAILABLE AT <a href="http://www.sanger.ac.uk/Projects/T_brucei/">HTTP://WWW.SANGER.AC.UK/PROJECTS/T_BRUCEI/</a> .
LOCUS	B0589506/C	LOCUS B0589506/C
DEFINITION	EST 06-DEC-2002	DEFINITION EST 06-DEC-2002
VERSION	E012561-024-015-114-SP6 MPIZ-ADIS-024-storage root Beta vulgaris	VERSION E012561-024-015-114-SP6 MPIZ-ADIS-024-storage root Beta vulgaris
KEYWORDS		mrna sequence.
SOURCE		COMMENT CONSTRUCTED AT THE INSTITUTE FOR GENOMIC RESEARCH (TIGR), ROCKVILLE, MD. GENOMIC DNA ISOLATED FROM A CLONED POPULATION OF TRYPANOSOMA BRUCEI (TREU927/4 GUTAT 10.1) WAS MECHANICALLY SHEARED TO GIVE A TIGHT SIZE DISTRIBUTION (4 KB). THE V + 1 METHOD USED FOR THE LIBRARY CONSTRUCTION IS DESCRIBED IN DETAIL IN SMITH, H. AND VENTER, J.C. (MAKING SMALL INSERT LIBRARIES FOR WHOLE GENOME SHOTGUN SEQUENCING PROJECTS. IN GENOME SEQUENCING: A PRACTICAL APPROACH, EDS. M. VAUDIN AND B. BARRELL, OXFORD UNIVERSITY PRESS, 1999). EMAIL: nelsayed@tigr.org DETAILS OF T. BRUCEI SEQUENCING AT THE SANGER CENTRE ARE AVAILABLE AT <a href="http://www.sanger.ac.uk/Projects/T_brucei/">HTTP://WWW.SANGER.AC.UK/PROJECTS/T_BRUCEI/</a> .
REFERENCE	1 (bases 1 to 24)	FEATURES source 1. 24
AUTHORS	Herwig,R., Schulz,B., Weishaar,B., Steinfath,M., Drungowski,M., Stahl,D., Wruck,W., Menze,A., O'Brien,J., Lehrach,H., and Radloff,U.	/organism="Trypanosoma brucei"
TITLE		/mol_type="genomic DNA"
JOURNAL		/strain="TREU927"
MEDLINE	12362189	
PUBLMED	12472698	
COMMENT	Contact: Weishaar, B.	
	ADIS DNA core facility at MPIZ Max-Planck-Institute for Plant Breeding Research	
	Carl-von-Linné Weg 10, 50829 Koeln, Germany	
	Fax: 00492215062851	
	Email: weishaar@mpiz-koeln.mpg.de	
	Insert Length: 24 Std Error: 0.00	

/db\_xref="taxon:5691"  
 /clone="J00b12"

**ORIGIN**

Query Match Score 6; DB 29; Length 24;  
 Best Local Similarity 42.9%; Pred. No. 1.e+06;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTGNNNNNNNNNG 14  
 Db 20 TTGGCCCTGTATCG 7

**RESULT 13**  
 AI569102 25 bp mRNA linear EST 14-MAY-1999  
 LOCUS AI569102 .x1 NCI CGAP Panel Homo sapiens cDNA clone IMAGE:2224783\_3,  
 DEFINITION similar to TR\_Q07611 Q07611 PROLINE-RICH PROTEOGLYCAN PRPG2. ;  
 mRNA sequence.

ACCESSION AI569102  
 VERSION AI569102.1 GI:4532476  
 EST.  
 SOURCE Homo sapiens (human)  
 ORGANISM Homo sapiens (human)

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

**COMMENT**

Contract: Robert Straussberg, Ph.D.  
 Email: cgaps-r@mail.nih.gov  
 Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R.  
 Emmert-Buck, M.D., Ph.D.  
 cDNA Library Preparation: Life Technologies, Inc.  
 cDNA Library Arrayed by: Greg Lennon, Ph.D.  
 DNA Sequencing by: Washington University Genome Sequencing Center  
 Clone distribution: NCI-CGAP clone distribution information can be  
 found through the I.M.A.G.E. Consortium/LINL at:  
[www-bio.llnl.gov/bbrp/image.html](http://www-bio.llnl.gov/bbrp/image.html)  
 Insert Length: 872 Std Error: 0.00  
 Seq Primer: -40UP from Gibco  
 High Quality Sequence stop: 1.

**FEATURES**

source Location/Qualifiers 1..25  
 /organism="Homo sapiens"  
 /mol\_type="mRNA"  
 /db\_xref="IMAGE:2208209"  
 /tissue\_type="poorly-differentiated endometrial  
 adenocarcinoma, 2 pooled tumors"  
 /lab\_host="DH10B"  
 /clone\_id="NCI\_CGAP\_UT3"  
 /note="Organ: uterus; Vector: PCMV-SPORT6; Site\_1: SalI;  
 Site\_2: NotI; Cloned unidirectionally. Primer: Oligo dT."  
 Average insert size 1.45 kb. Life Technologies catalog #: 11541-018

**ORIGIN**

Query Match Score 6; DB 9; Length 25;  
 Best Local Similarity 42.9%; Pred. No. 1.5e+06;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Oy 1 TTGNNNNNNNNNGC 14  
 Db 3 TTGGCCATACCG 16

**RESULT 15**  
 BM396446 LOCUS 5009-0-0-G01.t.1 Chilcoat/Turkewitz cDNA (large fraction)  
 DEFINITION Tetrahymena thermophila cDNA, mRNA sequence.

ACCESSION BM396446  
 VERSION BM396446.1 GI:18196484  
 EST.  
 SOURCE Tetrahymena thermophila  
 ORGANISM Tetrahymena thermophila  
 Eukaryota: Alveolata: Ciliophora: Oligohymenophorea:  
 Hymenostomatida; Tetrahymena.

**COMMENT**

1 (bases 1 to 25)  
 Turkewitz,A.P., Karner,K.M., Jahn,C., Orias,E., Kirk,K.E.,  
 Frankel,J. and Klobutcher,L.  
 Unpublished (2002)  
 Contact: Turkewitz AP  
 Molecular Genetics and Cell Biology  
 University of Chicago  
 920 E. 58th Street, Chicago, IL 60637, USA  
 Tel: 773 702 4374

**ORIGIN**

Query Match Score 6; DB 9; Length 25;  
 Best Local Similarity 42.9%; Pred. No. 1.5e+06;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTGNNNNNNNNNG 14  
 Db 1 TTGGGGGGTCGG 14

**RESULT 14**  
 AI697439 LOCUS AI697439 25 bp mRNA linear EST 14-DEC-1999  
 DEFINITION tQ0809.x1 NCI CGAP UT3 Homo sapiens cDNA clone IMAGE:2208209\_3,  
 similar to SW RSS\_HUMAN P46782 40S RIBOSOMAL PROTEIN S5. [1] ;

Pax: 773 702 3172  
Email: apturkew@midway.uchicago.edu  
Seq primer: T3  
FEATURES  
source  
1..25  
/organism="Tetrahymena thermophila"  
/mol\_type="mRNA"  
/strain="CU438.1"  
/db\_xref="taxon:5911"  
/clone.lib="Chilcoat/Turkewitz cDNA ('large fraction')"  
/note="Vector: Bluescript2 SK+; Details on library  
preparation can be found in Chilcoat and Turkewitz (2001)  
Proc. Natl. Acad. Sci USA, 98: 8709-8713."  
ORIGIN  
Query Match 42.9%; Score 6; DB 12; Length 25;  
Best Local Similarity 50.0%; Pred. No. 1.5e+06;  
Matches 7; Conservative 0; Mismatches 7; Indels 0; Gaps 0;  
QY 1 TTGNNNNNNNNNGC 14  
Db 9 TTTGGAGCNGCG 22

Search completed: April 5, 2004, 08:34:35  
Job time : 3219 secs

GenCore version 5.1.6  
Copyright (c) 1993 - 2004 Compugen Ltd.

DNM nucleic - nucleic search, using sw model.  
run on: April 5, 2004, 07:39:24 ; Search time 332 Seconds  
(without alignments)  
157.719 Million cell updates/sec

Title: US-09-530-935-1  
Perfect score: 14  
Sequence: 1 ttggnnnnnnncg 14

Scoring table: IDENTITY\_NUC  
Gapext 10.0 , Gapext 1.0

Searched: 2466186 seqs, 1870093128 residues  
Total number of hits satisfying chosen parameters: 4932372

Minimum DB seq length: 0  
Maximum DB seq length: 0  
Post-processing: Minimum Match 0%  
Maximum Match 100%  
Listing first 45 summaries

Published Applications NA:  
 1: /cgn2\_6/\_ptodata/2/\_pubpna/\_us07\_pubcomb.seq;\*  
 2: /cgn2\_6/\_ptodata/2/\_pubpna/\_pct\_new\_pub.seq;\*  
 3: /cgn2\_6/\_ptodata/2/\_pubpna/\_us06\_new\_pub.seq;\*  
 4: /cgn2\_6/\_ptodata/2/\_pubpna/\_us06\_pubcomb.seq;\*  
 5: /cgn2\_6/\_ptodata/2/\_pubpna/\_us07\_new\_pub.seq;\*  
 6: /cgn2\_6/\_ptodata/2/\_pubpna/\_pcutus\_pubcomb.seq;\*  
 7: /cgn2\_6/\_ptodata/2/\_pubpna/\_us07\_pub.seq;\*  
 8: /cgn2\_6/\_ptodata/2/\_pubpna/\_us08\_pubcomb.seq;\*  
 9: /cgn2\_6/\_ptodata/2/\_pubpna/\_us09\_pubcomb.seq;\*  
 10: /cgn2\_6/\_ptodata/2/\_pubpna/\_us09b\_pubcomb.seq;\*  
 11: /cgn2\_6/\_ptodata/2/\_pubpna/\_pcutus\_pubcomb.seq;\*  
 12: /cgn2\_6/\_ptodata/2/\_pubpna/\_us09\_new\_pub.seq;\*  
 13: /cgn2\_6/\_ptodata/2/\_pubpna/\_us10a\_pubcomb.seq;\*  
 14: /cgn2\_6/\_ptodata/2/\_pubpna/\_us10b\_pubcomb.seq;\*  
 15: /cgn2\_6/\_ptodata/2/\_pubpna/\_us10c\_pubcomb.seq;\*  
 16: /cgn2\_6/\_ptodata/2/\_pubpna/\_us10\_new\_pub.seq;\*  
 17: /cgn2\_6/\_ptodata/2/\_pubpna/\_us60\_new\_pub.seq;\*  
 18: /cgn2\_6/\_ptodata/2/\_pubpna/\_us60\_pubcomb.seq;\*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

**SUMMARIES**

No.	Score	Query Match Length	DB ID	Description
c 1	6	42.9	15	9 US-09-504-231A-356 Sequence 356, App
c 2	6	42.9	15	9 US-09-274-553D-356 Sequence 356, App
c 3	6	42.9	15	9 US-10-04-47A-13 Sequence 13, App
c 4	6	42.9	15	9 US-10-040-850-204 Sequence 204, App
c 5	6	42.9	17	9 US-09-866-108-575 Sequence 575, App
c 6	6	42.9	17	9 US-09-866-108-576 Sequence 576, App
c 7	6	42.9	17	9 US-09-866-108-577 Sequence 577, App
c 8	6	42.9	17	9 US-09-866-108-578 Sequence 578, App
c 9	6	42.9	17	9 US-09-866-108-873 Sequence 873, App
c 10	6	42.9	17	9 US-09-866-108-874 Sequence 874, App
c 11	6	42.9	17	9 US-09-866-108-875 Sequence 875, App
c 12	6	42.9	17	9 US-09-866-108-876 Sequence 876, App
c 13	6	42.9	17	9 US-09-866-108-1095 Sequence 1095, App
c 14	6	42.9	17	9 US-09-866-108-1096 Sequence 1096, App
c 15	6	42.9	17	9 US-09-866-108-1097 Sequence 1097, App

%

Sequence 1098, AP  
Sequence 2678, AP  
Sequence 2679, AP  
Sequence 2680, AP  
Sequence 2681, AP  
Sequence 2821, AP  
Sequence 2822, AP  
Sequence 2823, AP  
Sequence 2824, AP  
Sequence 419, APP  
Sequence 392, APP  
Sequence 878, APP  
Sequence 1535, APP  
Sequence 1536, APP  
Sequence 2410, APP  
Sequence 2411, APP  
Sequence 2414, APP  
Sequence 2415, APP  
Sequence 2418, APP  
Sequence 2419, APP  
Sequence 2422, APP  
Sequence 2423, APP  
Sequence 257, APP  
Sequence 1705, APP  
Sequence 2296, APP  
Sequence 892, APP  
Sequence 993, APP  
Sequence 3113, APP  
Sequence 163, APP  
Sequence 1681, APP

**ALIGNMENTS**

RESULT 1  
US-09-504-231A-356/c  
Sequence 356, Application US/09504231A  
; Patent No. US2002001345A1  
; GENERAL INFORMATION:  
; APPLICANT: Blatt, Lawrence  
; APPLICANT: McSwiggen, James B  
; APPLICANT: Roberts, Beth  
; APPLICANT: Pavco, Pamela  
; APPLICANT: Macejak, Dennis  
; TITLE OF INVENTION: ENZYMIC NUCLEIC ACID TREATMENT OF DISEASES OR CONDITIONS RELATED TO INFECTION  
; TITLE OF INVENTION: HEPATITIS C VIRUS INFECTION  
; FILE REFERENCE: IPI 247/282  
; CURRENT APPLICATION NUMBER: US/09/504-231A  
; CURRENT FILING DATE: 2000-02-15  
; PRIOR APPLICATION NUMBER: 09/274, 553  
; PRIOR FILING DATE: 1999-03-23  
; PRIOR APPLICATION NUMBER: 09/257, 608  
; PRIOR FILING DATE: 1999-02-24  
; PRIOR APPLICATION NUMBER: 60/100, 842  
; NUMBER OF SEQ ID NOS: 3242  
; SOFTWARE: Patentin version 3.0  
; SEQ ID NO 356  
; LENGTH: 15  
; TYPE: RNA  
; ORGANISM: Artificial Sequence  
; FEATURE:  
; OTHER INFORMATION: Description of Artificial Sequence: Nucleic Acid Target  
US-09-504-231A-356  
Query Match Score 6; Length 15;  
Best Local Similarity 42.9%; Pred. No. 2.1e-05;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Db 15 ||| TTGCAATGATGCCG 2 US-10-104-473A-13

RESULT 2 Query Match 42.9%; Score 6; DB 14; Length 15;  
US-09-274-553D-356/c Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Sequence 356, Application US/09274553D Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;  
Patent No. US200208225A1  
GENERAL INFORMATION:  
APPLICANT: Blatt, Lawrence  
APPLICANT: McSwiggen, James  
APPLICANT: Roberts, Beth  
APPLICANT: Pavco, Pamela  
APPLICANT: Macejak, Dennis  
TITLE OF INVENTION: ENZYMIC NUCLEIC ACID TREATMENT OF DISEASES OR CONDITIONS RELATED TO HEPATITIS C VIRUS INFECTION  
FILE REFERENCE: ZPI 247/282  
CURRENT APPLICATION NUMBER: US/09/274,553D  
CURRENT FILING DATE: 1999-03-23  
PRIOR APPLICATION NUMBER: 09/257,608  
PRIOR FILING DATE: 1999-02-14  
PRIOR APPLICATION NUMBER: 60/100,842  
PRIOR FILING DATE: 1998-09-18  
PRIOR APPLICATION NUMBER: 60/083,217  
PRIOR FILING DATE: 1998-04-27  
NUMBER OF SEQ ID NOS: 3148  
SOFTWARE: PatentIn version 3.0  
SEQ ID NO: 356  
LENGTH: 15  
TYPE: RNA  
ORGANISM: Artificial Sequence  
FEATURE:  
OTHER INFORMATION: Description of Artificial Sequence: Nucleic Acid Target  
US-09-274-553D-356

Query Match 42.9%; Score 6; DB 9; Length 15;  
Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;  
US-10-440-850-204

Db 14 ||| TTGCAATGATGCCG 1 US-10-104-473A-13/C

RESULT 4 Query Match 42.9%; Score 6; DB 14; Length 15;  
US-10-440-850-204/c Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Sequence 204, Application US/10440850  
Publication No. US20030207837A1  
GENERAL INFORMATION:  
APPLICANT: Ribocyte Pharmaceuticals, Inc.  
APPLICANT: Stinchcomb, Dan  
APPLICANT: Jarvis, Thale  
APPLICANT: McSwiggen, Jim  
TITLE OF INVENTION: Method and Reagent for the Induction of Graft Tolerance and Revealing Immune Responses  
FILE REFERENCE: 250/130 (MBHB00-900-A)  
CURRENT APPLICATION NUMBER: US/10/440,850  
CURRENT FILING DATE: 2003-05-19  
PRIOR APPLICATION NUMBER: US/09/650,012  
PRIOR FILING DATE: 2000-08-28  
PRIOR APPLICATION NUMBER: US 08/585,684  
PRIOR FILING DATE: 1996-01-12  
PRIOR APPLICATION NUMBER: US 60/000,951  
PRIOR FILING DATE: 1995-07-07  
PRIOR APPLICATION NUMBER: US 09/038,073  
PRIOR FILING DATE: 1998-03-11  
NUMBER OF SEQ ID NOS: 2285  
SOFTWARE: PatentIn version 3.0  
SEQ ID NO: 204  
LENGTH: 15  
TYPE: RNA  
ORGANISM: Homo sapiens  
US-10-440-850-204

Db 15 ||| TTGCAATGATGCCG 1 US-10-440-850-204

Query Match 42.9%; Score 6; DB 15; Length 15;  
Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTGCAATGATGCCG 14 US-09-866-108-575/C

RESULT 5 Query Match 42.9%; Score 6; DB 15; Length 15;  
US-09-866-108-575/C Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Sequence 575, Application US/09866108  
Publication No. US200208800A1  
GENERAL INFORMATION:  
APPLICANT: GU, Yizhong  
APPLICANT: JI, Yonggang  
APPLICANT: PENN, Sharron G.  
APPLICANT: HANZEL, David K.  
APPLICANT: RANK, David R.  
APPLICANT: CHEN, Wenshang  
APPLICANT: SHANNON, Mark  
TITLE OF INVENTION: MYCIN-LIKE GENE EXPRESSED IN HUMAN HEART AND MUSCLE  
FILE REFERENCE: AECOMICA-7  
CURRENT APPLICATION NUMBER: US/09/866,108  
CURRENT FILING DATE: 2001-05-25  
PRIOR APPLICATION NUMBER: US 60/207,456  
PRIOR FILING DATE: 2000-05-26  
PRIOR APPLICATION NUMBER: GB 24263,6  
PRIOR FILING DATE: 2000-10-04  
PRIOR APPLICATION NUMBER: US 60/236,359  
PRIOR FILING DATE: 2000-09-27  
PRIOR APPLICATION NUMBER: PCT/US01/00666  
OTHER INFORMATION: Oligonucleotide

Db 15 TTGCAATGATGCCG 2 US-10-104-473A-13

RESULT 3 Query Match 42.9%; Score 6; DB 9; Length 15;  
US-10-104-473A-13/C Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Sequence 13, Application US/10104473A  
Publication No. US2003016587A1  
GENERAL INFORMATION:  
APPLICANT: Muyldermans, Serge  
APPLICANT: Silance, Karen  
APPLICANT: Steyaert, Jan  
TITLE OF INVENTION: Recombinant Phages Capable of Entering Host Cells Via Specific Interaction with an Artificial  
FILE REFERENCE: 112A1-002002  
CURRENT APPLICATION NUMBER: US/10/104,473A  
CURRENT FILING DATE: 2003-03-04  
PRIOR APPLICATION NUMBER: PCT/EP00/09277  
PRIOR FILING DATE: 2000-09-22  
PRIOR APPLICATION NUMBER: US 09/433,404  
PRIOR FILING DATE: 1999-11-03  
PRIOR APPLICATION NUMBER: EP 99402348.9  
PRIOR FILING DATE: 1999-09-24  
NUMBER OF SEQ ID NOS: 28  
SOFTWARE: FastSEQ for Windows Version 4.0  
SEQ ID NO: 13  
LENGTH: 15  
TYPE: DNA  
ORGANISM: Artificial Sequence  
FEATURE:  
OTHER INFORMATION: Oligonucleotide



PRIOR FILING DATE: 2000-09-21  
PRIOR APPLICATION NUMBER: US 60/266,860  
PRIOR FILING DATE: 2001-02-05  
NUMBER OF SEQ ID NOS: 15752  
SOFTWARE: Acomica Sequence Listing Engine  
SEQ ID NO 577  
LENGTH: 17  
TYPE: DNA  
ORGANISM: Homo sapiens  
US-09-866-108-577

RESULT 8  
Query Match Score 6; DB 9; Length 17;  
Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTGNNNNNNNNNCG 14  
Db 15 TTGGTTGGTTCG 2

RESULT 9  
US-09-866-108-873/c  
Sequence 873, Application US/09866108  
; Parent No. US2002048800A1  
; GENERAL INFORMATION:  
; APPLICANT: GU, Yizhong  
; APPLICANT: JI, Yonggang  
; APPLICANT: PENN, Sharron G.  
; APPLICANT: HANZEL, David K.  
; APPLICANT: RANK, David R.  
; APPLICANT: CHEN, Wensheng  
; APPLICANT: SHANNON, Mark  
; TITLE OF INVENTION: MYOSTIN-LIKE GENE EXPRESSED IN HUMAN HEART AND MUSCLE  
; FILE REFERENCE: AEOMICA-7  
; CURRENT APPLICATION NUMBER: US/09/866,108  
; CURRENT FILING DATE: 2001-05-25  
; PRIOR APPLICATION NUMBER: US 60/207,456  
; PRIOR FILING DATE: 2000-10-04  
; PRIOR APPLICATION NUMBER: US 60/236,359  
; PRIOR FILING DATE: 2000-09-27  
; PRIOR APPLICATION NUMBER: PCT/US01/00666  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00667  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: GB 24263.6  
; PRIOR FILING DATE: 2000-10-04  
; PRIOR APPLICATION NUMBER: GB 24263.6  
; PRIOR FILING DATE: 2000-10-04  
; PRIOR APPLICATION NUMBER: PCT/US01/00669  
; PRIOR FILING DATE: 2000-09-27  
; PRIOR APPLICATION NUMBER: PCT/US01/00666  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00667  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00664  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00669  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00665  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00668  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00663  
; PRIOR FILING DATE: 2001-01-30  
; PRIOR APPLICATION NUMBER: PCT/US01/00662  
; PRIOR FILING DATE: 2000-09-21  
; PRIOR APPLICATION NUMBER: US 60/266,860  
; PRIOR FILING DATE: 2001-02-05  
; NUMBER OF SEQ ID NOS: 15752  
; SOFTWARE: Acomica Sequence Listing Engine  
; SEQ ID NO 873  
; LENGTH: 17  
; TYPE: DNA  
; ORGANISM: Homo sapiens  
US-09-866-108-873

RESULT 14  
Query Match Score 6; DB 9; Length 17;  
Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTGNNNNNNNNNCG 14  
Db 17 TTGGACCCCTCTCG 4

RESULT 17  
Query Match Score 6; DB 9; Length 17;  
Best Local Similarity 42.9%; Pred. No. 2.1e+05;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTGNNNNNNNNNCG 14  
Db 17 TTGGACCCCTCTCG 4

PRIOR FILING DATE: 2000-09-21  
PRIOR APPLICATION NUMBER: US 60/266,860  
PRIOR FILING DATE: 2001-02-05  
NUMBER OF SEQ ID NOS: 15752  
SOFTWARE: Acomica Sequence Listing Engine  
SEQ ID NO 577  
LENGTH: 17  
TYPE: DNA  
ORGANISM: Homo sapiens  
US-09-866-108-577





```

; PRIOR APPLICATION NUMBER: PCT/US01/00670
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: US 60/234,687
; PRIOR FILING DATE: 2000-09-21
; PRIOR APPLICATION NUMBER: US 60/266,860
; NUMBER OF SEQ ID NOS: 15752
; SOFTWARE: Aemicma Sequence Listing Engine
; SEQ ID NO: 1096
; LENGTH: 17
; TYPE: DNA
; ORGANISM: Homo sapiens
; SEQ ID NO: 1096

Query Match 42.9%; Score 6; DB 9; Length 17;
Best Local Similarity 42.9%; Pred. No. 2.1e+05;
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;
Qy 1 TTTCNNNNNNNNNGC 14
Db 15 TTTCGGGCTTACG 2

```

---

```

Query Match 42.9%; Score 6; DB 9; Length 17;
Best Local Similarity 42.9%; Pred. No. 2.1e+05;
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;
Qy 1 TTTCNNNNNNNNNGC 14
Db 16 TTTCGGGCTTACG 3

RESULT 15
US-09-530-108-1097/c
; Sequence 1097, Application US/09866108
; Patent No. US20020048800A1
; GENERAL INFORMATION:
; APPLICANT: Gu, Yizhong
; APPLICANT: Ji, Yonggang
; APPLICANT: PENN, Sharron G.
; APPLICANT: HANZEL, David K.
; APPLICANT: RANK, David R.
; APPLICANT: CHEN, Wenshang
; APPLICANT: SHANNON, Mark
; TITLE OF INVENTION: MYOTIN-LIKE GENE EXPRESSED IN HUMAN HEART AND MUSCLE
; CURRENT APPLICATION NUMBER: US/09/866,108
; CURRENT FILING DATE: 2001-05-25
; PRIOR APPLICATION NUMBER: US 60/207,456
; PRIOR FILING DATE: 2000-05-26
; PRIOR APPLICATION NUMBER: GB 24263.6
; PRIOR FILING DATE: 2000-10-04
; PRIOR APPLICATION NUMBER: US 60/236,359
; PRIOR FILING DATE: 2000-09-27
; PRIOR APPLICATION NUMBER: PCT/US01/00666
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00667
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00664
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00665
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00666
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00663
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00662
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00661
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: PCT/US01/00670
; PRIOR FILING DATE: 2001-01-30
; PRIOR APPLICATION NUMBER: US 60/234,687
; PRIOR FILING DATE: 2000-09-21
; PRIOR APPLICATION NUMBER: US 60/266,860
; PRIOR FILING DATE: 2001-02-05
; NUMBER OF SEQ ID NOS: 15752
; SOFTWARE: Aemicma Sequence Listing Engine
; SEQ ID NO: 1097
; LENGTH: 17

```

GenCore version 5.1.6  
Copyright (c) 1993 - 2004 Compugen Ltd.  
OM nucleic - nucleic search, using sw model  
Run on: April 5, 2004, 06:34:19 ; Search time 75 Seconds  
(without alignments)  
103.591 Million cell updates/sec

Title: US-09-530-935-1  
Perfect score: 14  
Sequence: 1 ttggnnnnnnnng 14

Scoring table: IDENTITY\_NUC  
Gapext 1.0  
Searched: 682709 seqs, 277475446 residues

Total number of hits satisfying chosen parameters: 1365418

Minimum DB seq length: 0  
Maximum DB seq length: 200000000  
Post-processing: Minimum Match 0%  
Maximum Match 100%  
Listing first 45 summaries

## Database :

Issued\_Patents\_NA:  
 1: /cgnd\_6/ptodata/2/ina/5A\_COMB.seq: \*  
 2: /cgnd\_6/ptodata/2/ina/5B\_COMB.seq: \*  
 3: /cgnd\_6/ptodata/2/ina/6A\_COMB.seq: \*  
 4: /cgnd\_6/ptodata/2/ina/6B\_COMB.seq: \*  
 5: /cgnd\_6/ptodata/2/ina/PCUTS\_COMB.seq: \*  
 6: /cgnd\_6/ptodata/2/ina/backfiles1.seq: \*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

## SUMMARIES

% Query Score Match Length DB ID Description

Result No.	Score	Match	Length	DB ID	Description
C 1	6	42.9	15	1 US-09-182-968A-334	Sequence 334, APP
C 2	6	42.9	15	2 US-09-174-306A-334	Sequence 334, APP
C 3	6	42.9	15	3 US-09-585-634B-136	Sequence 136, APP
C 4	6	42.9	15	2 US-08-563-946-11	Sequence 11, APP
C 5	6	42.9	15	3 US-08-964-156A-334	Sequence 334, APP
C 6	6	42.9	15	3 US-09-038-013-136	Sequence 136, APP
C 7	6	42.9	15	3 US-09-571-772B-5551	Sequence 5851, APP
C 8	6	42.9	16	4 US-08-573-124A-1212	Sequence 1212, APP
C 9	6	42.9	17	1 US-08-435-638-1212	Sequence 1212, APP
C 10	6	42.9	17	1 US-08-592-630-1664	Sequence 1664, APP
C 11	6	42.9	17	2 US-08-292-630A-1829	Sequence 1829, APP
C 12	6	42.9	17	2 US-08-292-630A-1906	Sequence 1906, APP
C 13	6	42.9	17	3 US-09-071-845-1664	Sequence 1664, APP
C 14	6	42.9	17	3 US-09-071-845-1829	Sequence 1829, APP
C 15	6	42.9	17	3 US-09-071-845-1906	Sequence 1906, APP
C 16	6	42.9	17	3 US-09-071-845-1996	Sequence 1996, APP
C 17	6	42.9	17	4 US-09-584-040-1996	Sequence 4222, APP
C 18	6	42.9	17	4 US-08-584-040-4222	Sequence 5503, APP
C 19	6	42.9	17	4 US-08-584-040-5503	Sequence 5504, APP
C 20	6	42.9	17	4 US-08-584-040-5504	Sequence 541, APP
C 21	6	42.9	17	4 US-09-371-772B-541	Sequence 1989, APP
C 22	6	42.9	17	4 US-09-371-772B-1389	Sequence 2394, APP
C 23	6	42.9	17	4 US-09-371-772B-2394	Sequence 2395, APP
C 24	6	42.9	17	4 US-09-371-772B-2395	Sequence 4833, APP
C 25	6	42.9	17	4 US-09-371-772B-4833	Sequence 4834, APP
C 26	6	42.9	17	4 US-09-371-772B-1834	Sequence 1095, APP

## ALIGNMENTS

RESULT 1  
US-09-182-968A-334/C

/ Sequence 334, Application US/08182968A

/ Patent No. 5610054

/ GENERAL INFORMATION:

/ APPLICANT: Deptar, Kenneth G., METHOD AND REAGENT FOR INHIBITING HEPATITIS C VIRUS REPLICATION

/ TITLE OF INVENTION: INHIBITING HEPATITIS C VIRUS REPLICATION

/ NUMBER OF SEQUENCES: 497

/ CORRESPONDENCE ADDRESS:

/ ADDRESSEE: Lyon & Lyon

/ STREET: 633 West Fifth Street

/ CITY: Los Angeles

/ STATE: California

/ COUNTRY: U.S.A.

/ ZIP: 90071-2066

/ COMPUTER READABLE FORM:  
 / MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
 / MEDIUM TYPE: storage  
 / COMPUTER: IBM Compatible  
 / OPERATING SYSTEM: IBM P.C. DOS 5.0  
 / SOFTWARE: Word Perfect 5.1  
 / CURRENT APPLICATION DATA:  
 / APPLICATION NUMBER: US/08/182,968A  
 / FILING DATE: 13-JANUARY-1994  
 / PRIORITY APPLICATION DATA:  
 / APPLICATION NUMBER: 07/882,888  
 / FILING DATE: 14-MAY-1992  
 / ATTORNEY/AGENT INFORMATION:  
 / NAME: Warburg, Richard J.  
 / REGISTRATION NUMBER: 32,327  
 / REFERENCE/DOCKET NUMBER: 205/277  
 / TELECOMMUNICATION INFORMATION:  
 / TELEPHONE: (213) 489-1600  
 / TELEFAX: (213) 955-0440  
 / TELEX: 7-3510  
 / INFORMATION FOR SEQ ID NO: 334:  
 / SEQUENCE CHARACTERISTICS:  
 / LENGTH: 15  
 / TYPE: nucleic acid  
 / STRANDNESS: single  
 / TOPOLOGY: linear

/ US-08-182-968A-334  
 / Query Match 42.9%; Score 6; DB 1; Length 15;  
 / Best Local Similarity 42.9%; Pred. No. 2.1e-04;  
 / Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 1 TTTGNNNNNNNNNCG 14  
Db 15 TTTCATGATGCCG 2

RESULT 2  
US-08-774-306A-334/C  
; Sequence 334, Application US/08774306A  
; Patent No. 5869253

GENERAL INFORMATION:  
; APPLICANT: Draper, Kenneth G.  
; TITLE OF INVENTION: METHOD AND REAGENT FOR  
; INHIBITING HEPATITIS C  
; TITLE OF INVENTION: VIRUS REPLICATION  
; NUMBER OF SEQUENCES: 497

CORRESPONDENCE ADDRESS:  
; ADDRESS: Lyon & Lyon  
; STREET: 633 West Fifth Street  
; STREET: Suite 4700  
; CITY: Los Angeles  
; STATE: California  
; COUNTRY: U.S.A.  
; ZIP: 90071-2066

COMPUTER READABLE FORM:  
; MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
; MEDIUM TYPE: storage  
; COMPUTER: IBM Compatible  
; OPERATING SYSTEM: IBM P.C. DOS 5.0  
; SOFTWARE: Word Perfect 5.1

CURRENT APPLICATION DATA:  
; APPLICATION NUMBER: US/08/774-306A  
; FILING DATE: January 13, 1994  
; APPLICATION NUMBER: US/08/774-306A  
; FILING DATE: December 26, 1996  
; PRIORITY NUMBER: 08/182,968  
; FILING DATE: May 14, 1992  
; APPLICATION NUMBER: 07/882,888  
; FILING DATE: May 14, 1992  
; ATTORNEY/AGENT INFORMATION:  
; NAME: Warburg, Richard J.  
; REGISTRATION NUMBER: 32,327  
; REFERENCE/DOCKET NUMBER: 223/227  
; TELECOMMUNICATION INFORMATION:  
; TELEPHONE: (213) 489-1600  
; TELEX: 67-3510  
; FAX: (213) 955-0440

SEQUENCE CHARACTERISTICS:  
; LENGTH: 15  
; TYPE: nucleic acid  
; STRANDEDNESS: single  
; TOPOLOGY: linear

US-08-774-306A-334  
; INFORMATION FOR SEQ ID NO: 334:  
; LENGTH: 15  
; SEQUENCE CHARACTERISTICS:  
; LENGTH: 15  
; TYPE: nucleic acid  
; STRANDEDNESS: single  
; TOPOLOGY: linear

Query Match 42.9%; Score 6; DB 2; Length 15;  
Best Local Similarity 42.9%; Pred. No. 2.1e+04;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 1 TTTGNNNNNNNNNCG 14  
Db 15 TTTCATGATGCCG 2

RESULT 3  
US-08-585-684B-136/C  
; Sequence 136, Application US/08585684B  
; Patent No. 5877021

GENERAL INFORMATION:  
; APPLICANT: Strinchcomb, Daniel T.  
; APPLICANT: Jarvis, Thale  
; TITLE OF INVENTION: METHOD AND REAGENT FOR THE  
; TITLE OF INVENTION: INDUCTION OF GRAFT TOLERANCE  
; TITLE OF INVENTION: AND REVERSAL OF IMMUNE RESPONSES

CLASSIFICATION: 435  
 ATTORNEY/AGENT INFORMATION:  
 NAME: Hightet, David W.  
 REFERENCE/DOCKET NUMBER: 30,265  
 TELECOMMUNICATION INFORMATION:  
 TELEPHONE: (201) 847-5317  
 FAX: (201) 848-9228  
 INFORMATION FOR SEQ ID NO: 11:  
 SEQUENCE CHARACTERISTICS:  
 LENGTH: 15 base pairs  
 TYPE: nucleic acid  
 STRANDEDNESS: single  
 TOPOLOGY: linear  
 US-08-963-946-11

Query Match Similarity 42.9%; Score 6; DB 2; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 2.1e+04;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 1 TTTGNNNNNNNNNNGC 14  
 Db 14 TTGTGATGATTGCG 1

RESULT 5  
 US-08-964-020-13/C  
 Sequence 13, Application US/08964020  
 Patent No. 6077669  
 GENERAL INFORMATION:  
 APPLICANT: Vorn, Glenn P.  
 ADDRESS: Little, Michael C.  
 TITLE OF INVENTION: Kit and Method for Fluorescence Based  
 NUMBER OF SEQUENCES: 20  
 TITLE OF INVENTION: Detection Assay  
 NUMBER OF SEQUENCES: 20  
 CORRESPONDENCE ADDRESS:  
 ADDRESSEE: Richard J. Rodrick - Becton, Dickinson and  
 COMPANY  
 STREET: 1 Becton Drive  
 CITY: Franklin Lakes  
 STATE: NJ  
 COUNTRY: USA  
 ZIP: 07417

COMPUTER READABLE FORM:  
 MEDIUM TYPE: Floppy disk  
 COMPUTER: IBM PC Compatible  
 OPERATING SYSTEM: PC-DOS/MS-DOS  
 SOFTWARE: Patentnet Release #1.0, Version #1.30  
 CURRENT APPLICATION DATA:  
 APPLICATION NUMBER: US/08/964,020  
 FILING DATE:  
 CLASSIFICATION: 435  
 ATTORNEY/AGENT INFORMATION:  
 NAME: Hightet, David W.  
 REFERENCE/DOCKET NUMBER: 30,265  
 TELECOMMUNICATION INFORMATION:  
 TELEPHONE: (201) 847-5317  
 FAX: (201) 848-9228  
 INFORMATION FOR SEQ ID NO: 13:  
 SEQUENCE CHARACTERISTICS:  
 LENGTH: 15 base pairs  
 TYPE: nucleic acid  
 STRANDEDNESS: single  
 TOPOLOGY: linear  
 US-08-964-020-13

Query Match Similarity 42.9%; Score 6; DB 3; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 2.1e+04;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 1 TTTGNNNNNNNNNNGC 14  
 Db 15 TTTCATGATGCCG 2

RESULT 6  
 US-09-064-156A-334/C  
 Sequence 334, Application US/09064156A  
 Patent No. 6132966  
 GENERAL INFORMATION:  
 APPLICANT: Dreicer, Kenneth G.  
 TITLE OF INVENTION: METHOD AND REAGENT FOR THE  
 INHIBITING HEPATITIS C  
 TITLE OF INVENTION: VIRUS REPLICATION  
 NUMBER OF SEQUENCES: 498  
 CORRESPONDENCE ADDRESS:  
 ADDRESSEE: Lyon & Lyon  
 STREET: 633 West Fifth Street  
 STREET: Suite 4700  
 CITY: Los Angeles  
 STATE: California  
 COUNTRY: U.S.A.  
 ZIP: 90071-2066  
 COMPUTER READABLE FORM:  
 MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
 COMPUTER: IBM Compatible  
 OPERATING SYSTEM: IBM P.C. DOS 5.0  
 SOFTWARE: Word Perfect 5.1  
 CURRENT APPLICATION DATA:  
 APPLICATION NUMBER: US/09/064,156A  
 FILING DATE: April 21, 1998  
 PRIOR APPLICATION DATA:  
 APPLICATION NUMBER: 08/774,306  
 FILING DATE: December 26, 1996  
 APPLICATION NUMBER: 08/182,968  
 FILING DATE: January 13, 1994  
 APPLICATION NUMBER: 07/882,888  
 FILING DATE: May 14, 1992  
 ATTORNEY/AGENT INFORMATION:  
 NAME: Warburg, Richard J.  
 REGISTRATION NUMBER: 32,327  
 REFERENCE/DOCKET NUMBER: 234/083  
 TELECOMMUNICATION INFORMATION:  
 TELEPHONE: (213) 489-1600  
 TELEFAX: (213) 955-0440  
 TELEX: 67-5150  
 INFORMATION FOR SEQ ID NO: 334:  
 SEQUENCE CHARACTERISTICS:  
 LENGTH: 15  
 TYPE: nucleic acid  
 STRANDEDNESS: single  
 TOPOLOGY: linear  
 US-09-064-156A-334

Query Match Similarity 42.9%; Score 6; DB 3; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 2.1e+04;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 1 TTTGNNNNNNNNNNGC 14  
 Db 15 TTTCATGATGCCG 2

RESULT 7  
 US-09-038-073-136/C  
 Sequence 136, Application US/09038073  
 Patent No. 6194150  
 GENERAL INFORMATION:  
 APPLICANT: Jarvis, Thale  
 APPLICANT: McGivigan, James  
 TITLE OF INVENTION: METHOD AND REAGENT FOR THE  
 INDUCTION OF GRAFT TOLERANCE  
 AND REVERSAL OF IMMUNE RESPONSES  
 TITLE OF INVENTION:

NUMBER OF SEQUENCES: 2751  
 CORRESPONDENCE ADDRESS:  
 ADDRESSEES: Lyon & Lyon  
 STREET: 633 West Fifth Street  
 STREET: Suite 4700  
 CITY: Los Angeles  
 STATE: California  
 COUNTRY: U.S.A.  
 ZIP: 90071

COMPUTER READABLE FORM:

  MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
 COMPUTER: IBM Compatible  
 OPERATING SYSTEM: IBM P.C. DOS 5.0  
 SOFTWARE: FastSeq Version 1.5  
 CURRENT APPLICATION DATA:  
 APPLICATION NUMBER: US/09/038,073  
 FILING DATE:  
 PRIOR APPLICATION DATA:  
 APPLICATION NUMBER: 08/585,684  
 FILING DATE:  
 ATTORNEY/AGENT INFORMATION:  
 NAME: Warburg, Richard  
 REGISTRATION NUMBER: 32,327  
 REFERENCE/DOCKET NUMBER: 218/078  
 TELECOMMUNICATION INFORMATION:  
 PHONE: (213) 489-1600  
 TELEFAX: (213) 555-0440  
 TELEX: 67-3510  
 INFORMATION FOR SEQ ID NO: 136:  
 SEQUENCE CHARACTERISTICS:  
 LENGTH: 15 base pairs  
 TYPE: nucleic acid  
 STRANDEDNESS: single  
 TOPOLOGY: linear  
 US-09-038-073-136

Query Match      Best Local Similarity      Score      DB      Length  
 Matches      6;      Conservative      42.9%;      6;      4;      15;  
 Mismatches      0;      Pred. No.      2.1e+04;      Indels      0;      Gaps      0;

RESULT 8  
 US-09-371-772B-5851  
 ; Sequence 5851, Application US/09371772B  
 ; GENERAL INFORMATION:  
 ; APPLICANT: Ribozyme Pharmaceuticals, Inc.  
 ; APPLICANT: Pavco, Pam  
 ; APPLICANT: McSwiggen, Jim  
 ; APPLICANT: Stinchcomb, Dan  
 ; APPLICANT: Escobedo, Jaime  
 ; TITLE OF INVENTION: Method and Reagent for the Treatment of Diseases or Conditions Related to Levels of Vascular Endothelial Growth Factor Receptor  
 ; PRIOR APPLICATION NUMBER: MBHB00, 876-J (237/198)  
 ; FILE REFERENCE: US/09/371,772B  
 ; CURRENT APPLICATION NUMBER: US 1999-08-10  
 ; CURRENT FILING DATE: 1999-08-10  
 ; PRIOR APPLICATION NUMBER: US 60/005,974  
 ; PRIOR FILING DATE: 1995-10-26  
 ; PRIOR APPLICATION NUMBER: US 08/584,040  
 ; PRIOR FILING DATE: 1996-01-08  
 ; NUMBER OF SEQ ID NOS: 14225  
 ; SOFTWARE: PatentIn version 3.0  
 ; SEQ ID NO: 5951  
 ; LENGTH: 16

Query Match      Best Local Similarity      Score      DB      Length  
 Matches      3;      Conservative      42.9%;      6;      17;  
 Mismatches      0;      Pred. No.      2.1e+04;      Indels      0;      Gaps      0;

RESULT 9  
 US-08-373-124A-1212  
 ; Sequence 1212, Application US/08373124A  
 ; GENERAL INFORMATION:  
 ; Patent No. 5646042  
 ; APPLICANT: Stinchcomb, Dan T.  
 ; APPLICANT: Draper, Kenneth  
 ; APPLICANT: McSwiggen, James  
 ; APPLICANT: Jarvis, Thale  
 ; TITLE OF INVENTION: METHODS AND COMPOSITIONS FOR TREATMENT OF RESPONOSIS AND CANCER USING RIBOZYMES  
 ; NUMBER OF SEQUENCES: 2627  
 ; CORRESPONDENCE ADDRESS:  
 ; ADDRESSEE: Lyon & Lyon  
 ; STREET: 633 West Fifth Street  
 ; STREET: Suite 4700  
 ; CITY: Los Angeles  
 ; STATE: California  
 ; COUNTRY: U.S.A.  
 ; ZIP: 90071  
 ; COMPUTER READABLE FORM:  
 ; MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
 ; COMPUTER: IBM Compatible  
 ; OPERATING SYSTEM: IBM P.C. DOS 5.0  
 ; SOFTWARE: Word Perfect 5.1  
 ; CURRENT APPLICATION DATA:  
 ; APPLICATION NUMBER: US/08/373-124A  
 ; FILING DATE: January 13, 1995  
 ; PRIORITY APPLICATION DATA:  
 ; APPLICATION NUMBER: 08/245,466  
 ; FILING DATE: May 18, 1994  
 ; APPLICATION NUMBER: 08/192,943  
 ; FILING DATE: February 7, 1994  
 ; APPLICATION NUMBER: 07/987,132  
 ; FILING DATE: December 7, 1992  
 ; APPLICATION NUMBER: 07/936,422  
 ; FILING DATE: August 26, 1992  
 ; ATTORNEY/AGENT INFORMATION:  
 ; NAME: Warburg, Richard  
 ; REGISTRATION NUMBER: 32,327  
 ; REFERENCE/DOCKET NUMBER: 209/035  
 ; TELECOMMUNICATION INFORMATION:  
 ; TELEPHONE: (213) 489-1600  
 ; TELEFAX: (213) 955-0440  
 ; TELEX: 67-3510  
 ; INFORMATION FOR SEQ ID NO: 1212:  
 ; SEQUENCE CHARACTERISTICS:  
 ; LENGTH: 17 base pairs  
 ; TYPE: nucleic acid  
 ; STRANDEDNESS: Single  
 ; TOPOLOGY: linear  
 ; US-08-373-124A-1212

Query Match      Best Local Similarity      Score      DB      Length  
 Matches      3;      Conservative      42.9%;      6;      17;  
 Mismatches      0;      Pred. No.      2.1e+04;      Indels      0;      Gaps      0;

RESULT 14  
 US-09-371-772B-5851  
 ; Sequence 5851, Application US/09371772B  
 ; GENERAL INFORMATION:  
 ; APPLICANT: Ribozyme Pharmaceuticals, Inc.  
 ; APPLICANT: Pavco, Pam  
 ; APPLICANT: McSwiggen, Jim  
 ; APPLICANT: Stinchcomb, Dan  
 ; APPLICANT: Escobedo, Jaime  
 ; TITLE OF INVENTION: Method and Reagent for the Treatment of Diseases or Conditions Related to Levels of Vascular Endothelial Growth Factor Receptor  
 ; PRIOR APPLICATION NUMBER: MBHB00, 876-J (237/198)  
 ; FILE REFERENCE: US/09/371,772B  
 ; CURRENT APPLICATION NUMBER: US 1999-08-10  
 ; CURRENT FILING DATE: 1999-08-10  
 ; PRIOR APPLICATION NUMBER: US 60/005,974  
 ; PRIOR FILING DATE: 1995-10-26  
 ; PRIOR APPLICATION NUMBER: US 08/584,040  
 ; PRIOR FILING DATE: 1996-01-08  
 ; NUMBER OF SEQ ID NOS: 14225  
 ; SOFTWARE: PatentIn version 3.0  
 ; SEQ ID NO: 5951  
 ; LENGTH: 16

Query Match      Best Local Similarity      Score      DB      Length  
 Matches      3;      Conservative      42.9%;      6;      17;  
 Mismatches      0;      Pred. No.      2.1e+04;      Indels      0;      Gaps      0;

Query Match      Best Local Similarity      Score      DB      Length  
 Matches      1;      Conservative      42.9%;      6;      14;  
 Mismatches      0;      Pred. No.      2.1e+04;      Indels      0;      Gaps      0;

Db      1      UUUGCCUTGGCCG 15

Db      1      UUUGAGAUAGACG 14

RESULT 10  
US-08-435-628-1212  
Sequence 1212, Application US/08435628  
Patent No. 5817796  
GENERAL INFORMATION:  
APPLICANT: Stinchcomb, Dan T.  
Draper, Kenneth G.  
APPLICANT: Draper, Kenneth G.  
APPLICANT: McSwiggen, James  
APPLICANT: Jarvis, Thale  
TITLE OF INVENTION: METHODS AND COMPOSITIONS FOR  
TREATMENT OF RESTENOSIS AND  
TITLE OF INVENTION: CANCER USING RIBOZYMES  
NUMBER OF SEQUENCES: 2627  
CORRESPONDENCE ADDRESS:  
ADDRESSEE: Lyon & Lyon  
STREET: 633 West Fifth Street  
SUITE: Suite 4700  
CITY: Los Angeles  
STATE: California  
COUNTRY: U.S.A.  
ZIP: 90071

COMPUTER READABLE FORM:  
MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
COMPUTER: IBM Compatible  
OPERATING SYSTEM: IBM P.C. DOS 5.0  
SOFTWARE: Word Perfect 5.1  
OPERATING SYSTEM: IBM P.C. DOS 5.0  
SOFTWARE: Word Perfect 5.1  
PRIORITY APPLICATION DATA:  
APPLICATION NUMBER: US/08/435,628  
FILING DATE: 05-MAY-1995  
CLASSIFICATION: 514  
PRIORITY APPLICATION DATA:  
APPLICATION NUMBER: 08/373,124  
FILING DATE: January 13, 1995  
APPLICATION NUMBER: 08/245,466  
FILING DATE: May 18, 1994  
APPLICATION NUMBER: 08/192,943  
FILING DATE: February 7, 1994  
APPLICATION NUMBER: 07/987,132  
FILING DATE: December 7, 1992  
APPLICATION NUMBER: 07/936,422  
FILING DATE: August 26, 1992  
ATTORNEY/AGENT INFORMATION:  
NAME: Warburg, Richard  
REGISTRATION NUMBER: 32,327  
REFERENCE/DOCKET NUMBER: 209/035  
TELECOMMUNICATION INFORMATION:  
TELEPHONE: (213) 489-1600  
TELEFAX: (213) 955-0440  
TELEX: 67-3510  
INFORMATION FOR SEQ ID NO: 1212:  
SEQUENCE CHARACTERISTICS:  
LENGTH: 17 base pairs  
TYPE: nucleic acid  
STRANDEDNESS: single  
TOPOLogy: linear  
US-08-435-628-1212

Query Match Score 6; DB 1; Length 17;  
Best Local Similarity 21.4%; Pred. No. 2.1e+04;  
Matches 3; Conservative 3; Mismatches 8; Indels 0; Gaps 0;

RESULT 11  
US-08-292-620A-1664/C  
Sequence 1664, Application US/08292620A  
Patent No. 5837542  
GENERAL INFORMATION:  
APPLICANT: Susan Grimm

Query 1 TTGNNNNNNNNNNCG 14  
DB 1 UUAGAUAGACG 14

RESULT 12  
US-08-292-620A-1829/C  
Sequence 1829, Application US/08292620A  
Patent No. 5837542  
GENERAL INFORMATION:  
APPLICANT: Sean Sullivan  
APPLICANT: James McSwiggen  
APPLICANT: Kenneth G. Draper  
TITLE OF INVENTION: RIBOZYME TREATMENT OF  
TITLE OF INVENTION: DISEASES OR CONDITIONS  
TITLE OF INVENTION: RELATED TO LEVELS OF

TITLE OF INVENTION: INTRACELLULAR ADHESION  
 TITLE OF INVENTION: MOLECULE-1 (I-CAM-1)  
 NUMBER OF SEQUENCES: 2390  
 CORRESPONDENCE ADDRESS:  
 ADDRESSEE: Lyon & Lyon  
 STREET: 633 West Fifth Street  
 CITY: Los Angeles  
 STATE: California  
 COUNTRY: U.S.A.  
 ZIP: 90071-2066  
 COMPUTER READABLE FORM:  
 MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
 COMPUTER: IBM Compatible  
 OPERATING SYSTEM: IBM P.C. DOS 5.0  
 SOFTWARE: Word Perfect 5.1  
 CURRENT APPLICATION DATA:  
 APPLICATION NUMBER: US/08/292,620A  
 FILING DATE: August 17, 1994  
 CLASSIFICATION: 435  
 PRIOR APPLICATION DATA:  
 PRIORITY APPLICATION DATA: including application  
 PRIORITY APPLICATION NUMBER: described below:  
 APPLICATION NUMBER: 08/008,895  
 FILING DATE: January 19, 1993  
 APPLICATION NUMBER: 07/988,849  
 FILING DATE: December 7, 1992  
 ATTORNEY/AGENT INFORMATION:  
 NAME: Warburg, Richard J.  
 REGISTRATION NUMBER: 32,327  
 REFERENCE/DOCKET NUMBER: 208/149  
 TELECOMMUNICATION INFORMATION:  
 TELEPHONE: (213) 489-1600  
 TELEFAX: (213) 955-0440  
 TELEX: 67-3510  
 INFORMATION FOR SEQ ID NO: 1829:  
 SEQUENCE CHARACTERISTICS:  
 LENGTH: 17 base pairs  
 TYPE: nucleic acid  
 STRANDEDNESS: single  
 TOPOLOGY: linear  
 US-08-292-620A-1829

CITY: Los Angeles  
 STATE: California  
 COUNTRY: U.S.A.  
 ZIP: 90071-2066  
 COMPUTER READABLE FORM:  
 MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
 COMPUTER: IBM Compatible  
 OPERATING SYSTEM: IBM P.C. DOS 5.0  
 SOFTWARE: Word Perfect 5.1  
 CURRENT APPLICATION DATA:  
 APPLICATION NUMBER: US/08/292,620A  
 FILING DATE: August 17, 1994  
 CLASSIFICATION: 435  
 PRIOR APPLICATION DATA:  
 PRIORITY APPLICATION DATA: including application  
 PRIORITY APPLICATION NUMBER: described below:  
 APPLICATION NUMBER: 08/008,895  
 FILING DATE: January 19, 1993  
 APPLICATION NUMBER: 07/988,849  
 FILING DATE: December 7, 1992  
 ATTORNEY/AGENT INFORMATION:  
 NAME: Warburg, Richard J.  
 REGISTRATION NUMBER: 32,327  
 REFERENCE/DOCKET NUMBER: 208/149  
 TELECOMMUNICATION INFORMATION:  
 TELEPHONE: (213) 489-1600  
 TELEFAX: (213) 955-0440  
 TELEX: 67-3510  
 INFORMATION FOR SEQ ID NO: 1829:  
 SEQUENCE CHARACTERISTICS:  
 LENGTH: 17 base pairs  
 TYPE: nucleic acid  
 STRANDEDNESS: single  
 TOPOLOGY: linear  
 US-08-292-620A-1829

Query Match Score 6; DB 2; Length 17;  
 Best Local Similarity 42.9%; Pred. No. 2.1e+04;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

RESULT 14  
 US-08-292-620A-1906-32

Qy 1 TTGNNNNNNNNNNCG 14  
 Db 14 TTGTGATCTCCG 1

RESULT 13  
 US-08-292-620A-1906/C

GENERAL INFORMATION:  
 Patent No. 5,837,542  
 APPLICANT: Susan Grimm  
 APPLICANT: Dan T. Stinchcomb  
 APPLICANT: James McSwiggen  
 APPLICANT: Sean Sullivan  
 APPLICANT: Kenneth G. Draper

TITLE OF INVENTION: RIBOZYME TREATMENT OF  
 DISEASES OR CONDITIONS  
 RELATED TO LEVELS OF  
 INTRACELLULAR ADHESION  
 NUMBER OF SEQUENCES: 2390

CORRESPONDENCE ADDRESS:  
 ADDRESSEE: Onconmed, Inc.  
 STREET: 205 Perry Parkway  
 CITY: Gaithersburg  
 STATE: MD  
 COUNTRY: USA  
 ZIP: 20877

COMPUTER READABLE FORM:  
 MEDIUM TYPE: Floppy disk  
 COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS  
 SOFTWARE: Patent In Release #1.0, Version #1.30  
 CURRENT APPLICATION DATA:  
 APPLICATION NUMBER: US/08/988,705  
 FILING DATE:  
 CLASSIFICATION:  
 NAME: TARCZA, John E.  
 REGISTRATION NUMBER: 33,638  
 REFERENCE/DOCKET NUMBER: PA-0108  
 TELECOMMUNICATION INFORMATION:  
 TELEPHONE: 301-208-1888  
 TELEFAX: 301-926-6125  
 INFORMATION FOR SEQ ID NO: 32:  
 SEQUENCE CHARACTERISTICS:  
 LENGTH: 17 base pairs  
 TYPE: nucleic acid  
 STRANDEDNESS: single  
 TOPOLOGY: linear  
 MOLECULE TYPE: other nucleic acid  
 DESCRIPTION: /desc = "PROBE"  
 HYPOTHETICAL: NO  
 ANTI-SENSE: NO  
 FRAGMENT TYPE: internal  
 ORIGINAL SOURCE:  
 ORGANISM: HOMO SAPIENS  
 STRAIN: BRCA1  
 US-08-988-706-32

Query Match Score 6; DB 3; Length 17;  
 Best Local Similarity 42.9%; Pred. No. 2.1e+04;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;  
 Qy 1 TTGNNNNNNNNNGC 14  
 Db 2 TTGTGTGTGAACG 15

RESULT 15  
 US-09-071-845-1664/C  
 Sequence 1664, Application US/09071845

PATENT NO. 6132967

GENERAL INFORMATION:

APPLICANT: Susan Grimm  
 APPLICANT: Dan T. Stinchcomb  
 APPLICANT: James McSwiggen  
 APPLICANT: Sean Sullivan  
 APPLICANT: Kenneth G. Draper  
 TITLE OF INVENTION: RIBOZYME TREATMENT OF  
 DISEASES OR CONDITIONS RELATED TO LEVELS OF  
 TITLE OF INVENTION: RIBOZYME TREATMENT OF  
 DISEASES OR CONDITIONS RELATED TO LEVELS OF  
 TITLE OF INVENTION: INTRACELLULAR ADHESION  
 MOLECULE-1 (I-CAM-1)  
 NUMBER OF SEQUENCES: 2390  
 CORRESPONDENCE ADDRESS:

ADDRESSEE: Lyon & Lyon  
 STREET: 633 West Fifth Street  
 STREET: Suite 4700  
 CITY: Los Angeles  
 STATE: California  
 COUNTRY: U.S.A.  
 ZIP: 90071-2066

COMPUTER READABLE FORM:  
 MEDIUM TYPE: 3.5" Diskette, 1.44 Mb  
 MEDIUM TYPE: Storage  
 COMPUTER: IBM Compatible  
 OPERATING SYSTEM: IBM P.C. DOS 5.0  
 SOFTWARE: Word Perfect 5.1  
 CURRENT APPLICATION DATA:  
 APPLICATION NUMBER: US/09/071,845  
 FILING DATE:  
 CLASSIFICATION:  
 PRIOR APPLICATION DATA:

GenCore version 5.1.6  
 Copyright (c) 1993 - 2004 Compugen Ltd.

## OM nucleic - nucleic search, using sw model

Run on: April 5, 2004, 04:01:04 ; Search time: 2915 Seconds  
 (without alignments)  
 208.166 Million cell updates/sec

Title: US-09-530-935-1

Perfect score: 14

Sequence: 1 ttgtgnnnnnnnccg 14

Scoring table: IDENTITY\_NUC

GapOp 10.0 , Gapext 1.0

Searched: 3470272 seqs, 21671516995 residues

Total number of hits satisfying chosen parameters: 6940544

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : GenEmbl:  
 1: gb\_ba:\*

2: gb\_hhg:\*

3: gb\_in:\*

4: gb\_on:\*

5: gb\_ov:\*

6: gb\_pat:\*

7: gb\_ph:\*

8: gb\_pl:\*

9: gb\_pr:\*

10: gb\_to:\*

11: gb\_sb:\*

12: gb\_sy:\*

13: gb\_un:\*

14: gb\_vl:\*

15: em\_da:\*

16: em\_fun:\*

17: em\_hum:\*

18: em\_in:\*

19: em\_mu:\*

20: em\_om:\*

21: em\_or:\*

22: em\_ov:\*

23: em\_dat:\*

24: em\_ph:\*

25: em\_pi:\*

26: em\_to:\*

27: em\_sr:\*

28: em\_un:\*

29: em\_vl:\*

30: em\_htg\_hum:\*

31: em\_htg\_inv:\*

32: em\_htg\_other:\*

33: em\_htg\_mus:\*

34: em\_htg\_pln:\*

35: em\_htg\_rod:\*

36: em\_htg\_mam:\*

37: em\_htg\_vrt:\*

38: em\_sy:\*

39: em\_htgo\_hum:\*

40: em\_htgo\_mus:\*

41: em\_htgo\_other:\*

score greater than or equal to the score of the result being printed,  
 and is derived by analysis of the total score distribution.

## SUMMARIES

	Result No.	Score	Query Match	Length	DB ID	Description
	1	6	42.9	14	6 BD135830	BD135830 Selective
	2	6	42.9	14	6 BD135832	BD135832 Selective
	3	6	42.9	14	6 BD135833	BD135833 Selective
	4	6	42.9	14	6 BD135834	BD135834 Selective
	5	6	42.9	14	6 BD135837	BD135837 Selective
	c	6	42.9	15	6 AR033568	AR033568 Sequence
	c	7	42.9	15	6 AR078071	AR078071 Sequence
	c	8	42.9	15	6 AR098738	AR098738 Sequence
	c	9	42.9	15	6 AR113390	AR113390 Sequence
	c	10	42.9	15	6 AR131711	AR131711 Sequence
	c	11	42.9	15	6 E35652	E35652 Detection
	c	12	42.9	15	6 E35697	E35697 Detection a
	c	13	42.9	15	6 AX15797	AX15797 Sequence
	c	14	42.9	15	6 AX100916	AX100916 Sequence
	c	15	42.9	15	6 BD005865	BD005865 Novel pro
	c	16	42.9	15	6 BD135831	BD135831 Selective
	c	17	42.9	15	6 BD207301	BD207301 Enzymatic
	c	18	42.9	15	6 AR328449	AR328449 Sequence
	c	19	42.9	15	6 AX132920	AX132920 Sequence
	c	20	42.9	15	6 A05414	A05414 Synthetic o
	c	21	42.9	17	6 A09621	A09621 Oligonucleo
	c	22	42.9	17	6 AR046419	AR046419 Sequence
	c	23	42.9	17	6 AR057625	AR057625 Sequence
	c	24	42.9	17	6 AR057702	AR057702 Sequence
	c	25	42.9	17	6 AR101677	AR101677 Sequence
	c	26	42.9	17	6 AR115218	AR115218 Sequence
	c	27	42.9	17	6 AR115353	AR115353 Sequence
	c	28	42.9	17	6 AR115460	AR115460 Sequence
	c	29	42.9	17	6 BD235248	BD235248 Presenti
	c	30	42.9	17	6 BD240764	BD240764 Method f
	c	31	42.9	17	6 153471	153471 Sequence
	c	32	42.9	17	6 153471	153471 Sequence
	c	33	42.9	17	6 AR186508	AR186508 Sequence
	c	34	42.9	17	6 AR189734	AR189734 Sequence
	c	35	42.9	17	6 AR190015	AR190015 Sequence
	c	36	42.9	17	6 AR190016	AR190016 Sequence
	c	37	42.9	17	6 AR323139	AR323139 Sequence
	c	38	42.9	17	6 AR324587	AR324587 Sequence
	c	39	42.9	17	6 AR324932	AR324932 Sequence
	c	40	42.9	17	6 AR324933	AR324933 Sequence
	c	41	42.9	17	6 AR327411	AR327411 Sequence
	c	42	42.9	17	6 AR327432	AR327432 Sequence
	c	43	42.9	17	6 AR328952	AR328952 Sequence
	c	44	42.9	17	6 AR328953	AR328953 Sequence
	c	45	42.9	17	6 AR329338	AR329338 Sequence

## ALIGNMENTS

RESULT 1	BD135830	BD135830	BD135830 Selective regulation of adenovirus production.
LOCUS	BD135830	BD135830	BD135830 Selective regulation of adenovirus production.
DEFINITION			
ACCESSION	BD135830	BD135830	BD135830 Selective regulation of adenovirus production.
VERSION	1	1	GI:23230775
KEYWORDS			
SOURCE			
ORGANISM			
ARTIFICIAL_SEQUENCES			
REFERENCE			
AUTHORS			Hearing,P., Schmid,S.I., Ostapchuk,P.H. and Erturk,E.
TITLE			Selective regulation of adenovirus production
JOURNAL			Patent: JP 2002506355-A 1-26-FEB-2002;
			THE RESEARCH FOUNDATION OF STATE UNIVERSITY OF NEW YORK

Pred. No. is the number of results predicted by chance to have a

COMMENT	OS Artificial Sequence PN JP 20050635-A/1	LOCUS BD135833 DEFINITION Selective regulation of adenovirus production.	14 bp DNA linear	PAT 18-SEP-2002
PD 26-FEB-2002	VERSION BD135833	ACCESSION BD135833-1 GI:23230778		
PF 15-APR-1999 JP 1999552110	KEYWORDS JP 2002506355-A/4.			
PR 15-APR-1998 US 60/081867,05-JUN-1998 US 60/088321 PI	SOURCE unidentified adenovirus			
PATRICK HEARING, SUSANNE I SCHMID, PHILONIENA H OSTAPCHUK, ECE PI	ORGANISM unidentified adenovirus Viruses; dsDNA viruses, no RNA stage; Adenoviridae; Mastadenovirus.			
BTURK				
PC C12N15/86				
CC Selective regulation of adenovirus production FH	REFERENCE 1 (bases 1 to 14)			
Location/Qualifiers Key	AUTHORS Hearing, P., Schmid, S.I., Ostapchuk, P.H. and Erturk, E.			
FT source 1..14	TITLE Selective regulation of adenovirus production			
FT /organism='Artificial Sequence' .	JOURNAL THE RESEARCH FOUNDATION OF STATE UNIVERSITY OF NEW YORK			
FEATURES Location/Qualifiers	COMMENT OS Adenovirus			
source 1..14	PN JP 200506355-A/4			
ORIGIN /organism="synthetic construct"	PD 26-FEB-2002			
/mol type="genomic DNA"	PF 15-APR-1999 JP 1999552110			
/db_xref="taxon:32630"	PR 15-APR-1998 US 60/081867,05-JUN-1998 US 60/088321 PI			
Query Match	PATRICK HEARING, SUSANNE I SCHMID, PHILONIENA H OSTAPCHUK, ECE PI			
Best Local Similarity 100.0%	ERTURK			
Matches 14; Conservative 0; Mismatches 0; Indels 0; Gaps 0;	PC C12N15/86			
ORIGIN	CC AII	Location/Qualifiers		
Qy 1 TTTGANNNNNNNNNGC 14	FT Key 1..14	/organism='Adenovirus'		
Db 1 TTGNNNNNNNNNNNGC 14	FT FT	/organism="unidentified adenovirus"		
RESULT 2	ORIGIN /mol type="genomic DNA"	/db_xref="taxon:10535"		
BD135832	LOCUS BD135832	DEFINITION Query Match	42.9%; Score 6; DB 6; Length 14;	
LOCUS BD135832	DEFINITION Selective regulation of adenovirus production.	Best Local Similarity	42.9%; Pred. No. 1.8e+06;	
DEFINITION BD135832	VERSION BD135832-1 GI:23230777	Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;		
DEFINITION BD135832-1	KEYWORDS JP 2002506355-A/3			
KEYWORDS JP 2002506355-A/3	SOURCE unidentified adenovirus			
SOURCE unidentified adenovirus	ORGANISM viruses; dsDNA viruses, no RNA stage; Adenoviridae; Mastadenovirus.			
ORGANISM viruses; dsDNA viruses, no RNA stage; Adenoviridae; Mastadenovirus.	REFERENCE 1 (bases 1 to 14)			
REFERENCE 1 (bases 1 to 14)	AUTHORS Hearing, P., Schmid, S.I., Ostapchuk, P.H. and Erturk, E.			
AUTHORS Hearing, P., Schmid, S.I., Ostapchuk, P.H. and Erturk, E.	TITLE Selective regulation of adenovirus production			
TITLE Selective regulation of adenovirus production	JOURNAL THE RESEARCH FOUNDATION OF STATE UNIVERSITY OF NEW YORK			
JOURNAL THE RESEARCH FOUNDATION OF STATE UNIVERSITY OF NEW YORK	COMMENT OS Adenovirus			
COMMENT OS Adenovirus	PN JP 200506355-A/3			
PC C12N15/86	PD 26-FEB-2002	Location/Qualifiers		
AI	PF 15-APR-1999 JP 1999552110	1..14		
Key	PR 15-APR-1998 US 60/081867,05-JUN-1998 US 60/088321 PI	/organism='Adenovirus' .		
FT source	PATRICK HEARING, SUSANNE I SCHMID, PHILONIENA H OSTAPCHUK, ECE PI	/db_xref="taxon:10535"		
FT /organism="unidentified adenovirus"	ERTURK			
FEATURES Location/Qualifiers	PC C12N15/86			
source 1..14	CC AV	Location/Qualifiers		
ORIGIN 1 TTTGANNNNNNNNNGC 14	FT Key 1..14	/organism='Adenovirus'		
Best Local Similarity 42.9%	FT FT	/organism="unidentified adenovirus"		
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;	DB 1 TTGGCGCATTTTCG 14	/mol type="genomic DNA"		
ORIGIN 1 TTTGANNNNNNNNNGC 14	DB 1 TTGGCGCATTTTCG 14	/db_xref="taxon:10535"		
Qy 1 TTTGANNNNNNNNNGC 14	FEATURES source			
Db 1 TTGGCGCATTTTCG 14	ORIGIN 1 TTTGANNNNNNNNNGC 14			
RESULT 3	DB135833			

**ORIGIN**

Query Match Score 6; DB 6; Length 14;  
Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTTGNNNNNNNNNCG 14  
Db 1 TTGTCCTAGGGCG 14

**RESULT 5**  
BD135837 DNA linear PAT 18-SEP-2002  
LOCUS Selective regulation of adenovirus production.  
DEFINITION BD135837  
ACCESSION GI:23230782  
VERSION JP 20025035-A/8.  
KEYWORDS unidentified adenovirus  
SOURCE unidentified adenovirus  
ORGANISM unidentified adenovirus  
REFERENCE 1 (bases 1 to 14)  
AUTHORS Hearing, P., Schmid, S.I., Ostapchuk, P.H. and Erturk, E.  
TITLE Selective regulation of adenovirus production  
JOURNAL Patent: JP 2002506355-A 8 26-FEB-2002;  
THE RESEARCH FOUNDATION OF STATE UNIVERSITY OF NEW YORK  
COMMENT OS Adenovirus  
PN JP 2002506355-A/8  
PD 26-FEB-2002  
PP 15-APR-1999 JP 1999552110  
PR 15-APR-1998 US 60/081867,05-JUN-1998 US 60/088321 PI  
ERTURK PATRICK HEARING, SUSANNE I SCHMID, PHILLONIENA H OSTAPCHUK, ECE PI  
PC C12N15/86  
CC AVI  
FH Key  
FT source  
FEATURES source  
LOCATIONS /organism='Adenovirus' .  
1..14  
/organism='unidentified adenovirus'  
/mol\_type="genomic DNA"  
/db\_xref="taxon:10535"

**ORIGIN**

Query Match Score 6; DB 6; Length 14;  
Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTTGNNNNNNNNNCG 14  
Db 1 TTGACCGTTTACG 14

**RESULT 6**  
AR033568/c DNA linear PAT 29-SEP-1999  
LOCUS Sequence 334 from patent US 5869253.  
DEFINITION AR033568  
ACCESSION GT:5949173  
VERSION 1  
KEYWORDS Unknown  
SOURCE Unknown  
ORGANISM Unclassified  
REFERENCE 1 (bases 1 to 15)  
AUTHORS Draper, K.G.  
TITLE Method and reagent for inhibiting hepatitis C virus replication  
JOURNAL Patent: US 5869253-A 334 09-FEB-1999;  
FEATURES source  
LOCATIONS /organism="unknown"  
/mol\_type="unassigned DNA"

**ORIGIN**

Query Match Score 6; DB 6; Length 15;  
Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTTGNNNNNNNNNCG 14  
Db 15 TTGCAATGCCG 2

**RESULT 7**  
AR078071/c DNA linear PAT 31-AUG-2000  
LOCUS Sequence 11 from patent US 5962273.  
DEFINITION AR078071  
ACCESSION AR078071  
VERSION GI:10004817  
KEYWORDS Unknown  
SOURCE Unknown  
ORGANISM Unclassified  
REFERENCE 1 (bases 1 to 15)  
AUTHORS Durmowicz, G.P., Harris, J.M. and Yanson, K.Dilly.  
TITLE Detection of Neisseria gonorrhoeae by amplification and detection  
of its nucleic acid.  
JOURNAL Patent: US 5962273-A 11 05-OCT-1999;  
FEATURES source  
LOCATIONS /organism="unknown"  
/mol\_type="unassigned DNA"

**ORIGIN**

Query Match Score 6; DB 6; Length 15;  
Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTTGNNNNNNNNNCG 14  
Db 14 TTGATGATTGCG 1

**RESULT 8**  
AR098738/c DNA linear PAT 14-FEB-2001  
LOCUS Sequence 13 from patent US 6077669.  
DEFINITION AR098738  
ACCESSION AR098738  
VERSION AR098738  
KEYWORDS Unknown  
SOURCE Unknown  
ORGANISM Unclassified  
REFERENCE 1 (bases 1 to 15)  
AUTHORS Little, M.C. and vonk, G.P.  
TITLE Kit and method for fluorescence based detection assay  
JOURNAL Patent: US 6077669-A 13 20-JUN-2000;  
FEATURES source  
LOCATIONS /organism="unknown"  
/mol\_type="unassigned DNA"

**ORIGIN**

Query Match Score 6; DB 6; Length 15;  
Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTTGNNNNNNNNNCG 14  
Db 14 TTGATGATTGCG 1

**RESULT 9**  
AR113390/c DNA linear PAT 16-MAY-2001  
LOCUS Sequence 334 from patent US 6132966.  
DEFINITION AR113390

ACCESSION AR113390 PD 24-AUG-1999  
 VERSION AR113390.1 PF 30-OCT-1998 J P 1998309591  
 KEYWORDS Unknown PR 08/963946  
 SOURCE Unknown PI JERROLD B DAMOWITSU, JAMES M HARRIS, KAREN DIRI YANSON, PC  
 ORGANISM Unclassified. C12N15/09, C12M1/00, C12Q1/68/G01N33/571, (C12N15/09, C12R1:36), PC  
 REFERENCE 1 (bases 1 to 15) C12N15/00, (C12N15/00, C12R1:36) CC  
 AUTHORS Draper, K.G. FH Key Location/Qualifiers  
 TITLE Method and reagent for inhibiting hepatitis C virus replication FT source  
 JOURNAL Patent: US 6132966-A 334 17-OCT-2000; 1..15 /organism='Artificial Sequence'.  
 FEATURES source FT Location/Qualifiers  
 /organism='unidentified' 1..15  
 /mol\_type="genomic DNA"  
 /db\_xref="#taxon:32644"  
 ORIGIN  
 Query Match 42.9%; Score 6; DB 6; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
 Matches 6; Conservative 0; Indels 0; Gaps 0;  
 Qy 1 TTGNNNNNNNNNGC 14  
 Db 15 TTGCATGATGCCG 2  
 RESULT 10  
 AR113171/C LOCUS E35697/ C 15 bp DNA linear PAT 18-JUN-2001  
 DEFINITION Sequence 136 from patent US 6194150. E35697  
 ACCESSION AR113171 JOURNAL Detection assay with the use of fluorescence and kit therefor.  
 VERSION AR113171.1 GI:13019169  
 KEYWORDS SOURCE  
 SOURCE Unknown. B35697  
 ORGANISM Unclassified. VERSION  
 REFERENCE 1 (bases 1 to 15) Michael, C.L., and Gren, P.V.  
 AUTHORS Steinchcomb, D.T., Jarvis, T. and McSwiggen, J. JOURNAL Detection assay with the use of fluorescence and kit therefor.  
 TITLE Nucleic acid based inhibition of CD40  
 JOURNAL Patent: US 6194150-A 136 27-FEB-2001; COMMENT  
 FEATURES Location/Qualifiers OS Artificial Sequence  
 /organism='unassigned DNA' PN JP 1999225799-A/13  
 SOURCE 1..15 PD 24-AUG-1999  
 ORIGIN Query Match 42.9%; Score 6; DB 6; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
 Matches 6; Conservative 0; Indels 0; Gaps 0;  
 Qy 1 TTGNNNNNNNNNGC 14  
 Db 15 TTGACTGATAACG 2  
 RESULT 11  
 E35652/C LOCUS E35652 JOURNAL Query Match 42.9%; Score 6; DB 6; Length 15;  
 DEFINITION Detection of Neisseria gonorrhoeae by amplifying and detecting PI 157797/C  
 nucleic acid of Neisseria gonorrhoeae. LOCUS  
 ACCESSION E35652 JOURNAL Definition Sequence 334 from patent US 5610054.  
 VERSION E35652.1 GI:13019128  
 KEYWORDS SOURCE unidentified  
 ORGANISM unclassified. VERION  
 REFERENCE 1 (bases 1 to 15) I57797  
 AUTHORS Jerrold,B.D., James,M.H. and Karen,D.Y. JOURNAL  
 TITLE Detection of Neisseria gonorrhoeae by amplifying and detecting  
 nucleic acid of Neisseria gonorrhoeae. ACCESSION  
 JOURNAL Patent: JP 1999225781-A 11 24-AUG-1999; I57797  
 COMMENT OS Artificial Sequence  
 PN UP 1999225781-A/11  
 KEYWORDS  
 FEATURES source FT linear PAT 07-OCT-1997  
 /organism='synthetic construct' 1..15  
 /mol\_type="genomic DNA"  
 /db\_xref="#taxon:32630"  
 ORIGIN  
 Query Match 42.9%; Score 6; DB 6; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
 Matches 6; Conservative 0; Indels 0; Gaps 0;  
 Qy 1 TTGNNNNNNNNNGC 14  
 Db 14 TTGATGATTGCG 1

SOURCE Unknown.  
ORGANISM Unknown.  
UNCLASSIFIED  
(bases 1 to 15)

REFERENCE Draper, K.G.  
AUTHORS Brzymatic RNA molecule targeted against Hepatitis C virus  
TITLE Patent: US 561034-A 334 11-MAR-1997;  
JOURNALS Location/Qualifiers  
FEATURES source  
ORIGIN  
Query Match 42.9%; Score 6; DB 6; Length 15;  
Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;  
/mol\_type="unassigned DNA"  
/mol\_id="unassigned DNA"

RESULT 14  
AX100916/c LOCUS AX100916 Sequence 13 from Patent WO0121817. DNA linear PAT 10-APR-2001  
DEFINITION Accession AX100916 VERSION GI:13619808  
KEYWORDS SOURCE  
ORGANISM  
SYNTHETIC CONSTRUCT  
ARTIFICIAL CONSTRUCT  
ARTIFICIAL SEQUENCES.

REFERENCE Myldeermans, S., Silence, K., Steyaert, J. and Toreele, E.  
AUTHORS Recombinant phages capable of entering host cells via specific  
TITLE interaction with an artificial receptor  
JOURNAL Patent: WO 0121817-A 13 MAR-2001;  
Vlaams Interuniversitair Instituut voor Biotechnologie vzw; w. (BE)  
FEATURES source  
ORIGIN  
Query Match 42.9%; Score 6; DB 6; Length 15;  
Best Local Similarity 42.9%; Pred. No. 1.8e+06;  
Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;  
/mol\_type="unassigned DNA"  
/db\_xref="taxon:32630"  
/note="oligonucleotide"  
/note="primer"

RESULT 15  
BD005865/c LOCUS BD005865 DEFINITION Novel probes for the detection of Mycobacteria.  
ACCESSION BD005865  
VERSION JP 2001501825-A/76.  
KEYWORDS SOURCE  
ORGANISM  
UNCLASSIFIED  
(bases 1 to 15)

REFERENCE Stender, H., Lund, K. and Mollerup, T.A.  
AUTHORS Novel probes for the detection of Mycobacteria  
TITLE Patent: JP 2001501825-A 76 13-FEB-2001;  
JOURNAL DAKO AS  
COMMENT OS Unidentified

GenCore version 5.1.6  
 Copyright (c) 1993 - 2004 Compugen Ltd.

## OM nucleic - nucleic search, using sw model

Run on: April 5, 2004, 03:57:00 ; Search time 398 Seconds  
 (without alignments)  
 149.434 Million cell updates/sec

Title: US-09-530-935-1  
 Perfect score: 14  
 Sequence: 1 tt~~gg~~nnnnnnncg 14

Scoring table: IDENTITY\_NUC

Gapop 10\_0 , Gapext 1.0

Searched: 3373863 seqs, 212409941 residues

Total number of hits satisfying chosen parameters:

Minimum DB seq length: 0

Maximum DB seq length: 200000000

Post-processing: Maximum Match 0%  
 Listing first 45 summaries

Database : N\_Geneseq\_29Jan04:  
 1: geneseqn1980s:  
 2: geneseqn1990s:  
 3: geneseqn2000s:  
 4: geneseqn2001as:  
 5: geneseqn2001bs:  
 6: geneseqn2002s:  
 7: geneseqn2003as:  
 8: geneseqn2003bs:  
 9: geneseqn2003cs:  
 10: geneseqn2004s:  
 .

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

## SUMMARIES

Result No.	Score	Query	Match	Length	DB	ID	Description
1	6	6	42.9	14	3	Aaf59890	Aaz59990 Adenovirus
2	6	6	42.9	14	3	Aaz59894	Aaz59994 Adenovirus
3	6	6	42.9	14	3	Aaz59895	Aaz59995 Adenovirus
4	4	6	42.9	14	3	Aaz59891	Aaz59991 Adenovirus
c	5	6	42.9	15	2	Aax64642	Aax64442 Human B7-
c	6	6	42.9	15	2	Aax56323	Aax56323 Neisseria
c	7	6	42.9	15	2	Aax30272	Aax30272 Neisseria
c	8	6	42.9	15	3	Aaz62723	Aaz62723 Substrate
c	9	6	42.9	15	3	Aaz59897	Aaz59997 Consensus
c	10	6	42.9	15	4	Aaf46301	Aaf46301 IGFBP2
c	11	6	42.9	15	4	Aaf52545	Aaf52545 IGF-I Oli
c	12	6	42.9	15	4	Aaf47804	Aaf47804 IGFBP3
c	13	6	42.9	15	4	Aaf49895	Aaf49895 IGF-I Oli
c	14	6	42.9	15	4	Aaf52544	Aaf52544 IGF-I Oli
c	15	6	42.9	15	4	Aaf52808	Aaf52808 IGF-I Oli
c	16	6	42.9	15	4	Aaf46300	Aaf46300 IGFBP2
c	17	6	42.9	15	4	Aaf52809	Aaf52809 IGF-I Oli
c	18	6	42.9	15	4	Aaf47805	Aaf47805 IGFBP3
c	19	6	42.9	15	4	Aaf49896	Aaf49896 IGF-I Oli
c	20	6	42.9	15	4	Aaf57499	Aaf57499 pBAD-OrfI
c	21	6	42.9	15	6	ABN81405	ABN81405 Human HTA
c	22	6	42.9	15	6	Aad43773	Aad43773 Human AGT
c	23	6	42.9	15	6	Abx00574	Abx00574 Hepatitis

## ALIGNMENTS

RESULT 1  
 AAZ59890  
 ID AAZ59890 standard; DNA; 14 BP.  
 XX  
 AC AAZ59890;  
 XX  
 DT 08-MAY-2000 (first entry)  
 XX  
 DE Adenovirus minimal packaging element; A repeat AI.  
 XX  
 KW Adenovirus; minimal packaging element; A repeat; repressor binding site;  
 XX  
 DS DNA delivery; ds.  
 XX  
 OS Mastadenovirus.  
 XX  
 DN W09955-085-A2.  
 XX  
 ID 21-OCT-1999.  
 XX  
 PP 15-APR-1999; 99WO-US008294.  
 XX  
 PR 15-APR-1998; 98US-0081867P.  
 XX  
 PR 05-JUN-1998; 98US-0088321P.  
 XX  
 PA (UYNY ) UNIV NEW YORK STATE RES FOUND.  
 XX  
 PI Hearing P, Schmid SI, Ostapchuk PH, Erturk B;  
 XX  
 DD WPI: 2000-052657/04.  
 XX  
 PT Regulating adenoviral packaging by incorporation of repressor binding sites that allow selective suppression of packaging, used for gene therapy.  
 XX  
 Disclosure; Page 15; 71pp; English.

The invention relates to the regulation of adenoviral packaging. The method of the invention comprises propagating an adenoviral vector containing a repressor binding site, in the absence of the repressor. After propagation, vector packaging is repressed by the appropriate repressor protein. The invention also encompasses an adenoviral vector that includes an adenoviral packaging sequence containing several COUP-TF (chicken ovalbumin upstream promoter transcription factor) binding sites (AAZ59191). Adenoviral vectors containing repressor binding sites are used for DNA delivery, e.g., for expression of a therapeutic protein, in genetic immunisation, or to produce antiviral DNA or antisense RNA.

Typical heterologous genes that can be expressed include those for interleukin-2, alpha-hantiviral, cystic fibrosis transmembrane conductance regulator and coagulation factor VIII. These vectors have very large capacity (up to 36 kb) for foreign DNA and minimise the risk of generating replication competent virus (since vector and helper virus can be designed such that they have no overlapping packaging sequences that might permit homologous recombination). The presence of the repressor binding site allows selective inhibition of virion production (i.e., packaging of one vector in presence of another). Sequences AA259890-259896 represent adenovirus minimal packaging elements, designated A repeats AI-AVII, and AA259897 represents a consensus of these A repeats.

RESULTS 2  
AAZ59894 standard; DNA; 14 BP.  
XX AAZ59895;  
AC XX 08-MAY-2000 / first entry

K	08-MAY-2000 (first entry)	DE	Adenovirus minimal packaging element, A repeat AVI.
K	Adenovirus minimal packaging element, A repeat AV.	XX	Adenovirus; minimal packaging element; A repeat; repressor binding site;
K		KW	DNA delivery; ds.
X	Adenovirus: minimal packaging element; A repeat; repressor binding site;	XX	Mastadenovirus.
X	DNA delivery; ds.	OS	
		XX	

-----  
W09953085-A2 .  
21-OCT-1999 .  
D  
XX  
N  
X  
D  
XX  
XX  
PF  
PD  
XX  
XX  
PF  
PD  
15-APR-1999 ;  
15-NOV-1999 ;  
21-OCT-1999 .  
99WO-US008294 .  
99ITS-US0081867P

X XX (UYNX ) UNIV NEW YORK STATE RES FOUND.  
X PA  
R XX  
R Hearing P, Schmid ST, Ostapchuk PH,  
R Erturk E;  
X

X Hearing P, Schmid SI, Ostapchuk PH, Erturk E;  
X WPI; 2000-052657/04.  
X DR XX PT PT PT PT  
Regulating adenoviral packaging by incorporation of repressor binding sites that allow selective suppression of packaging, used for gene therapy.

PS Disclosure; Page 15; 71PP; English.

The invention relates to the regulation of adenoviral packaging. The method of the invention comprises propagating an adenoviral vector containing a repressor binding site, in the absence of the repressor. After propagation, vector packaging is repressed by the appropriate repressor protein. The invention also encompasses an adenoviral vector that includes an adenoviral packaging sequence containing several Coup-TF II genes. The invention also encompasses an adenoviral vector that includes an adenoviral packaging sequence containing several Coup-TF II (chicken ovalbumin upstream promoter transcription factor) binding sites (AAZ5919). Adenoviral vectors containing repressor binding sites are used for DNA delivery, e.g., for expression of a therapeutic protein; in genetic immunisation; or to produce antiviral DNA or antisense RNA. Typical heterologous genes that can be expressed include those for interleukin-2, alpha1-antitrypsin, cystic fibrosis transmembrane conductance regulator and coagulation factor VIII. These vectors have very large capacity (up to 36 kb) for foreign DNA and minimise the risk of generating replication competent virus (since vector and helper virus can be designed such that they have no overlapping packaging sequences).

that might permit homologous recombination). The presence of the repressor binding site allows selective inhibition of virion production (i.e., packaging of one vector in presence of another). Sequences AA255890-255986 represent minimal packaging elements, designated A repeats AI-AVII, and AA259897 represents a consensus of these A repeats.

AAZ59890-2Z9896 represent adenovirus minimal packaging elements, designated A repeats AI-AVII, and AAZ59897 represents a consensus of these A repeats

RESULT 5  
 APPX64642/c  
 ID APPX64642 standard; RNA; 15 BP.  
 XX  
 AC APPX64642;  
 XX

RESULT 4  
 APPX55891  
 ID APPX55891 standard; DNA; 14 BP.

AAZ59991;  
 08-MAY-2000 (first entry)  
 Adenovirus minimal packaging element, A repeat AT.  
 Adenovirus minimal packaging element: A repeat; repressor binding site;  
 DNA-DNA hybridization; DNA sequence; DNA  
 XX Human B7-1 hammerhead ribozyme target SEQ ID NO:1274.  
 DE  
 XX Arthritic condition; graft tolerance; immune response; target; cleavage;  
 KW hammerhead ribozyme; hairpin ribozyme; human; rabbit; mouse; collagenase;  
 KW stromelysin; synovial membrane; joint; arthritis; osteoarthritis;  
 KW rheumatoid arthritis; autoimmune disease; allergy; inflammation;  
 KW disaccharide; nucleic acid; sequence; structure; specificity; specificity; specificity;

XX Homo sapiens.  
OS XX  
PN WO9618736-A2.

591-XXXX-XX  
1 12345 12345

99MO-US008294 .  
99MO-US015516 .  
XX  
PF  
22-NOV-1995 ;

UYNY ) ORIGIN NEW YORK STATE RES FOUND.  
PR 23-DEB-1994; 9US-003454.  
PR 17-FEB-1995; 9US-003455.

bearing P, Schmid ST, Ostarpluk PH, Erturk E;  
 PR 04-MAY-1995; 95US-00432274.  
 PR 04-MAY-1995; 95US-00432209.

Verifying adenovirus incorporation by immunoperoxidase staining [2001-0500 / 04].

allow selective suppression of packaging, used for gene therapy. PR 05-OCT-1995; 95US-0054165. XX

Disclosure: Page 15; 71pp; English.  
Scincomcomb DT, Jarvis T, Draper K, Pavco P;  
Beideman L, XX; RI

the inventiveness to create a packaging or advertising idea that will catch the eye of the consumer. The method of presentation is important, as well as the quality of the product.

DR WPI: 1996-300653/30.  
XX

Claim 10: Page 167: 307PP English.  
Claim 10: Page 167: 307PP English.

The present invention describes a novel enzymatic nucleic acid (ENA) having a hammerhead motif (HM) comprising at least 5 ribose residues bonded to a transmembrane cystic fibrosis regulator protein, interleukin-2, lipocalin, antitrypsin, laminin, laminin receptor, coagulation factor VIII, these vectors have been constructed by recombinant DNA technology.

membrane of joints for the treatment or prevention of arthritis. The RNAs can also particularly stimulate septic arthritis or rheumatoid arthritis.



RESULT 8  
 AAZ62723/c  
 ID AAZ62723 standard; RNA; 15 BP.  
 XX  
 AC AAZ62723;  
 XX  
 DT 28-MAR-2000 (first entry)  
 XX  
 Substrate for HH ribozyme HCV-8413 which cleaves HCV RNA at nt. 6413.  
 DE XX  
 KW Enzymatic nucleic acid; hammerhead ribozyme; virus replication; cleavage;  
 KW cirrhosis; liver failure; hepatocellular carcinoma; interferon; cancer;  
 KW autoimmune disease; ss.  
 XX  
 Hepatitis C virus.  
 OS XX  
 PN WO9955847-A2.  
 XX  
 PD 04-NOV-1999.  
 XX  
 PF 26-APR-1999; 99WO-US009027.  
 XX  
 PR 27-APR-1998; 98US-0083217P.  
 PR 18-SEP-1998; 98US-0100842P.  
 PR 25-FEB-1999; 99US-00257608.  
 PR 23-MAR-1999; 99US-0027453.  
 XX  
 PA (RIBO-) RIBOZYME PHARM INC.  
 XX  
 PI Blatt L, Mcswiggen JA, Roberts E, Pavco PA, Macejak D;  
 XX  
 DR WPI; 2000-062023/05.  
 PT Novel ribozymes for the treatment of diseases and conditions related to  
 PT hepatitis C infection.  
 XX  
 PS Claim 1; Page 61; 123pp; English.  
 XX  
 The present sequence represents the preferred target sequence of an  
 CC enzymatic nucleic acid, especially a hammerhead ribozyme, which cleaves  
 CC the Hepatitis C virus (HCV) RNA sequence at the base position given in  
 CC the descriptor line. The HCV sequence was screened for optimal ribozyme  
 CC target sites using a computer folding algorithm and regions of the mRNA  
 CC which did not form secondary folding structures and contained potential  
 CC ribozyme cleavage sites were identified. Ribozymes were synthesised to  
 CC target these sites and their activities optimised by either varying the  
 CC length of the binding arms or by modification to prevent degradation by  
 CC nucleases. The ribozymes of the invention inhibit gene expression and/or  
 CC viral replication, and are used to treat diseases associated with  
 CC Hepatitis C virus (HCV) infection, e.g. cirrhosis, liver failure and  
 CC interferon to treat HCV infection, other infectious diseases, autoimmune  
 CC diseases, and cancer.

XX Sequence 15 BP; 6 A; 4 C; 3 G; 0 T; 2 U; 0 Other;

SQ Query Match 42.9%; Score 6; DB 3; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 2e+05;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0; Gaps 0;

Qy 1 TTGNNNNNNNNNGC 14  
 Db 15 TTGCAATGATGCCG 2

RESULT 9  
 AAZ59897  
 ID AAZ59897 standard; DNA; 15 BP.  
 XX  
 AC AAZ59897;  
 XX  
 DT 08-MAY-2000 (first entry)  
 XX

Query Match 42.9%; Score 6; DB 3; Length 15;  
 Best Local Similarity 42.9%; Pred. No. 2e+05;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0; Gaps 0;

Qy 1 TTGNNNNNNNNNGC 14  
 Db 2 TTGNNNNNNNNNGC 15

RESULT 10  
 AAF46301/c  
 ID AAF46301 standard; DNA; 15 BP.  
 XX  
 AC AAF46301;  
 XX  
 DT 30-MAR-2001 (first entry)  
 XX  
 DE IGFBP2 oligonucleotide #1140.  
 XX  
 KW Antisense therapy; antiproliferative; antiinflammatory; antipsoriatic;

KW cytostatic; dermatological; cardiant; virucide; ophthalmological; keloid;  
 KW skin disorder; Insulin-like Growth Factor 1 receptor; IGF-1; Pityriasis;  
 KW IGF binding protein; IGFBP3; inflammation; psoriasis; pilarris;  
 KW growth factor mediated cell proliferation; ichthyosis; serborrhoea; ruba;  
 KW keratosis; neoplasia; scleroderma; wart; skin cancer; sclerotic disease;  
 KW hypernevacular condition; hyperplasia; kidney disease;  
 KW neovascular condition of the retina; ss.  
 XX .  
 OS Homo sapiens.  
 XX WO200078141-A1.  
 PN XX 28-DEC-2000.  
 PD XX 21-JUN-2000; 2000WO-AU000693.  
 PP XX 21-JUN-1999; 99US-0140345P.  
 PR XX PA (MURD-) MURDOCH CHILDRENS RES INST.  
 XX PA (MURD-) MURDOCH CHILDRENS RES INST.  
 XX PT Ameliorating the effects of a disorder, e.g. psoriasis, by administering  
 PT UV (ultra-violet) treatment (optional) and an antisense nucleic acid that  
 PT inhibits or reduces growth factor mediated cell proliferation and/or  
 PT inflammation.  
 XX Example 8; Page 83; 201pp; English.  
 PS XX The present invention relates to a method for ameliorating the effects of  
 CC skin disorders. The method comprises contacting the skin with an  
 CC antisense oligonucleotide, (for Insulin-like Growth Factor [IGF]-1  
 CC receptor, IGF binding protein [IGFBP]-2 or IGFBP3), which is capable of  
 CC inhibiting or reducing growth factor mediated cell proliferation,  
 CC inflammation and/or other disorders. The present sequence is an  
 CC oligonucleotide which can be used to design the antisense  
 CC oligonucleotides of the present invention (see AAF45151 and AAF45153-  
 CC F45161). The method is useful for ameliorating the effects of psoriasis,  
 CC ichthyosis, pityriasis, ruba, pilaris, keloids, keratosis,  
 CC neoplasias, scleroderma, warts, benign growths, cancers of the skin, a  
 CC hypernevacular condition such as a neovascular condition of the retina,  
 CC brain or skin, growth factor-mediated malignancies, other sclerotic  
 CC disease, kidney disease, hyperproliferation of the inside of blood  
 CC vessels or any other hyperplasia  
 XX Sequence 15 BP; 3 A; 9 C; 1 G; 2 T; 0 U; 0 Other;  
 SQ Query Match 42.9%; Score 6; DB 4; Length 15;  
 Best Local Similarity 42.9%; Pred. No 2e+05;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;  
 XX Db

Query Match 42.9%; Score 6; DB 4; Length 15;

Best Local Similarity 42.9%; Pred. No 2e+05;

Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 1 TTTGNNNNNNNCG 14  
 14 TTGGAGGGGGCG 1

RESULT 12  
 ID AAF47804.c  
 ID AAF47804 standard; DNA; 15 BP.

XX AC AAF47804;

XX DT 30-MAR-2001 (first entry)

XX DE IGFBP3 oligonucleotide #1224.

XX Antisense therapy; antiproliferative; antiinflammatory; antipsoriatic;  
 KW cyclostatic; dermatological; cardiant; virucide; ophthalmological; keloid;  
 KW skin disorder; Insulin-like Growth Factor 1 receptor; IGF-1; pityriasis;  
 KW IGF binding protein; IGFBP-2; IGFBP3; inflammation; psoriasis; pilaris;  
 KW growth factor mediated cell proliferation; ichthyosis; serborrhoea; ruba;  
 KW keratosis; neoplasia; scleroderma; wart; skin cancer; sclerotic disease;  
 KW hypernevacular condition; hyperplasia; kidney disease;  
 KW neovascular condition of the retina; ss.  
 XX .  
 OS Homo sapiens.  
 XX WO200078341-A1.  
 PN XX 28-DEC-2000.  
 PD XX 21-JUN-2000; 2000WO-AU000693.  
 PF XX 21-JUN-1999; 99US-0140345P.  
 PR XX PA (MURD-) MURDOCH CHILDRENS RES INST.  
 XX PI Wright CJ, Werther GA, Edmondson SR;  
 DR XX WPI; 2001-041421/05.

XX PT Ameliorating the effects of a disorder, e.g. psoriasis, by administering  
 PT UV (ultra-violet) treatment (optional) and an antisense nucleic acid that  
 PT inhibits or reduces growth factor mediated cell proliferation and/or  
 PT inflammation.  
 XX Example 8; Page 83; 201pp; English.  
 PS XX The present invention relates to a method for ameliorating the effects of  
 CC skin disorders. The method comprises contacting the skin with an  
 CC antisense oligonucleotide, (for Insulin-like Growth Factor [IGF]-1  
 CC receptor, IGF binding protein [IGFBP]-2 or IGFBP3), which is capable of  
 CC inhibiting or reducing growth factor mediated cell proliferation,  
 CC inflammation and/or other disorders. The present sequence is an  
 CC oligonucleotide which can be used to design the antisense  
 CC oligonucleotides of the present invention (see AAF45151 and AAF45153-  
 CC F45161). The method is useful for ameliorating the effects of psoriasis,  
 CC ichthyosis, pityriasis, ruba, pilaris, keloids, keratosis,  
 CC neoplasias, scleroderma, warts, benign growths, cancers of the skin, a  
 CC hypernevacular condition such as a neovascular condition of the retina,  
 CC brain or skin, growth factor-mediated malignancies, other sclerotic  
 CC disease, kidney disease, hyperproliferation of the inside of blood  
 CC vessels or any other hyperplasia  
 XX Sequence 15 BP; 3 A; 2 C; 5 G; 5 T; 0 U; 0 Other;  
 SQ Query Match 42.9%; Score 6; DB 4; Length 15;  
 Best Local Similarity 42.9%; Pred. No 2e+05;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

QY 1 TTTGNNNNNNNCG 14  
 1 TTGGATGACGGC 14

RESULT 12  
 ID AAF47804.c

XX AC AAF47804;

XX DT 30-MAR-2001 (first entry)

XX DE IGFBP3 oligonucleotide #1224.

XX Antisense therapy; antiproliferative; antiinflammatory; antipsoriatic;  
 KW cyclostatic; dermatological; cardiant; virucide; ophthalmological; keloid;  
 KW skin disorder; Insulin-like Growth Factor 1 receptor; IGF-1; pityriasis;  
 KW IGF binding protein; IGFBP-2; IGFBP3; inflammation; psoriasis; pilaris;  
 KW growth factor mediated cell proliferation; ichthyosis; serborrhoea; ruba;  
 KW keratosis; neoplasia; scleroderma; wart; skin cancer; sclerotic disease;  
 KW hypernevacular condition; hyperplasia; kidney disease;  
 KW neovascular condition of the retina; ss.  
 XX .  
 OS Homo sapiens.  
 XX WO200078341-A1.  
 PN XX 28-DEC-2000.  
 PD XX 21-JUN-2000; 2000WO-AU000693.  
 PF XX 21-JUN-1999; 99US-0140345P.  
 PR XX PA (MURD-) MURDOCH CHILDRENS RES INST.  
 XX PI Wright CJ, Werther GA, Edmondson SR;  
 DR XX WPI; 2001-041421/05.



PR 21-JUN-1999; 99US-0140345P.  
 XX (MURD-) MURDOCH CHILDRENS RES INST.  
 XX PI Wraight CJ, Werther GA, Edmondson SR;  
 XX WPI; 2001-041421/05.  
 PT Ameliorating the effects of a disorder, e.g. psoriasis, by administering UV (ultra-violet) treatment (optional) and an antisense nucleic acid that inhibits or reduces growth factor mediated cell proliferation and/or inflammation.  
 XX Example 8; Page 83; 201pp; English.

The present invention relates to a method for ameliorating the effects of skin disorders. The method comprises contacting the skin with an antisense oligonucleotide, (for Insulin-like Growth Factor [IGF]-1 receptor, IGF binding protein [IGFBP]-2 or IGFBP3), which is capable of inhibiting or reducing growth factor mediated cell proliferation, inflammation and/or other disorders. The present sequence is an oligonucleotide of the present invention (see AAP45151 and AAP45153-F45161). The method is useful for ameliorating the effects of psoriasis, ichthyosis, pityriasis, ruba, pilaris, keratosis, keroids, serborrhoea, neoplasias, scleroedema, warts, benign growths, cancers of the skin, a hyperneovascular condition such as a neovascular condition of the retina, brain or skin, growth factor-mediated malignancies, other sclerotic disease, kidney disease, hyperproliferation of the inside of blood vessels or any other hyperplasia

Sequence 15 BP; 2 A; 2 C; 5 G; 6 T; 0 U; 0 Other;

Score 6; DB 4; Length 15;  
 Best Local Similarity 42.9%;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTTGNNNNNNNNNGC 14  
 Db 2 TTGGTATGACGG 15

RESULT 15  
 AAP52808  
 ID AAP52808 standard; DNA; 15 BP.  
 XX  
 AC  
 XX AAP52808;  
 DT 30-MAR-2001 (first entry)  
 XX IGF-I oligonucleotide #3768.

XX Antisense therapy; antiproliferative; antiinflammatory; antipsoriatic; cytostatic; dermatological; cardiant; virucide; ophthalmological; keloid; skin disorder; Insulin-like Growth Factor 1 receptor; IGF-1; pityriasis; IGF binding protein; IGFBP-2; IGFBP3; inflammation; psoriasis; Pilars; growth factor mediated cell proliferation; ichthyosis; serborrhoea; ruba; keratosis; neoplasia; scleroedema; wart; skin cancer; sclerotic disease; hyperneovascular condition; hyperplasia; kidney disease; ss.  
 XX Homo sapiens.  
 OS PN  
 XX WO200078341-A1.  
 XX 28-DEC-2000.  
 XX P21-JUN-2000; 2000WO-AU000693.  
 XX PR 21-JUN-1999; 99US-0140345P.  
 XX (MURD-) MURDOCH CHILDRENS RES INST.  
 XX PA

PT Wraight CJ, Werther GA, Edmondson SR;  
 XX DR  
 XX WPI; 2001-041421/05.

Ameliorating the effects of a disorder, e.g. psoriasis, by administering UV (ultra-violet) treatment (optional) and an antisense nucleic acid that inhibits or reduces growth factor mediated cell proliferation and/or inflammation.

XX Example 8; Page 85; 201pp; English.

The present invention relates to a method for ameliorating the effects of skin disorder. The method comprises contacting the skin with an antisense oligonucleotide, (for Insulin-like Growth Factor [IGF]-1 receptor, IGF binding protein [IGFBP]-2 or IGFBP3), which is capable of inhibiting or reducing growth factor mediated cell proliferation, inflammation and/or other disorders. The present sequence is an oligonucleotide which can be used to design the antisense oligonucleotides of the present invention (see AAP45151 and AAP45153-F45161). The method is useful for ameliorating the effects of psoriasis, ichthyosis, pityriasis, ruba, pilaris, keratosis, keroids, serborrhoea, neoplasias, scleroedema, warts, benign growths, cancers of the skin, a hyperneovascular condition such as a neovascular condition of the retina, brain or skin, growth factor-mediated malignancies, other sclerotic disease, kidney disease, hyperproliferation of the inside of blood vessels or any other hyperplasia

Sequence 15 BP; 3 A; 2 C; 5 G; 5 T; 0 U; 0 Other;

Score 6; DB 4; Length 15;  
 Best Local Similarity 42.9%;  
 Matches 6; Conservative 0; Mismatches 8; Indels 0; Gaps 0;

Qy 1 TTTGNNNNNNNNNGC 14  
 Db 2 TTGAAGTGATGCG 15

Search completed: April 5, 2004, 06:50:21  
 Job time : 403 secs